Proceedings of the Institution of Mechanical Engineers

Volume 201, 1987

Index compiled by Geoffrey C Jones

The 1987 published Proceedings of the Institution of Mechanical Engineers include four journals (eighteen issues), ten conference volumes and eight seminar volumes. Each entry in the index comprises a code which refers to the relevant journal or volume followed by the page number. The titles with their respective codes are as follows:

A	Power and Process Engineering (journal, issues A1 to A4)
B	Management and Engineering Manufacture (journal, issues B1 to B4)
C	Mechanical Engineering Science (journal, issues C1 to C6)
D	Transport Engineering (journal, issues D1 to D4)
BEM	Advances in the use of Boundary Elements for Stress Analysis
CC	Effective CADCAM '87—Towards Integration
CET	Computers in Engine Technology
DL	Diesel Locomotives for the Future
FM	Fluid Machinery for the Oil, Petrochemical and Related Industries
HA	Design and Operation of Engines in Hazardous Atmospheres
HT	High Temperature Crack Growth
IC	Internal Combination and Steam Plant in Combination
ID	Mechanical Technology of Inertial Devices
IF	Industrial Fans—Aerodynamic Design
RW	The Management and Disposal of Intermediate and Low Level Radioactive Waste
SB	Selecting Bearings for Economical and Reliable Designs
SP	Refurbishment and Life Extension of Steam Plant
TE	Thermoplastic Elastomers
TRIi	Tribology—Friction, Lubrication and Wear: Fifty Years On (Volume I)
TRIii	Tribology—Friction, Lubrication and Wear: Fifty Years On (Volume II)
TUR	Turbomachinery—Efficiency Prediction and Improvement
VE	Vehicle Emissions and their Impact on European Air Quality

Author Index

Abarou, S Dry bearing wear under variable amplitude oscillating motion TRIi211
Abdou-Sabet, S Elastomeric alloys—new thermoplastic elastomers TE5
Adams, R D Use of the Fokker bond tester on joints with varying adhesive thickness B41
Adams, W H Lean-burn engines—induction system optimization as a means to improve the operating characteristics of four-valve spark-ignition engines VE237
Adelkvist, V Danish State Railways push-pull operation by diesel and electric locomotives with three-phase drive D79
Aho, K Development of an on-line condition monitoring system based on ferrography TRIii877
Ainsworth, R A CEGB high-temperature assessment procedure for defects under steady loading HT9
Practical assessments of defects in high-temperature plant HT37
Akehurst, B Evaluation of a two-axis rate gyro ID79
Akturk, N U Cost effective improvements to the performance and reliability of boiler plant SP109
Albery, R G Role of thermoplastic elastomers in sealing applications TE25
Alcock, K The shuttle—a new breed of small freight locomotive DL219
Alford, D W The development of a directional gyroscope for remotely piloted vehicles and similar applications ID1
Algifri, A H Prediction of the decay process in turbulent swirl flow C279
Ali, Q R Application of optimal control and eigenvalue eigenvector assignment for jet engine control CET103
Alkateb, A H Further developments in contact temperature determination in four-ball machine operation and the tribological implications TRIi399
Allan, R E Cost effective improvements to the performance and reliability of boiler plant SP109
Alliston-Greiner, A F Thickness measurements and mechanical properties of reaction films formed by zinc dialkyldithiophosphate during running TRIi565
Alterovitz, S A Adhesion, friction and deformation of ion-beam-deposited boron nitride films TRIii621
Amano, M An advanced engine control system using combustion pressure sensors D55
Anderson, J A review of developments in the acid hydrolysis of cellulosic wastes C117
Andrews, G E Diesel emissions reduction using a catalyst and a water scrubber for underground mine applications HA25
Andrianos, N P Design study for a high-stability large centrifuge test bed ID63
Antoniadis, D M A boundary element procedure for the static analysis of thin beams BEM9
A variational boundary node formulation for a two-dimensional plate analysis BEM41
Aoyama, T Simulation of spray combustion in an axisymmetric small direct injection diesel engine CET191
Arafa, H A Identification and modelling of some electrohydraulic servo-valve non-linearities C137
Spool hydraulic stiffness and flow force effects in electrohydraulic servo-valves C193
Arcoumanis, C Fluid mechanics of internal combustion engines—a review C57
Armor, A F Small supercritical steam turbines for power generation TUR313
Arnell, R D Empirical validation of a predictive model for the friction coefficients of coated surfaces TRIii657
Arnold, J J Life extension of generator rotors SP37
Arsenic, Z Modelling of the tribological properties of friction materials used in motor vehicles brakes TRIii911
Arts, T Comparison of two explicit Euler solvers with a hybrid approach to calculate transonic cascade flows with embedded shocks TUR323
Artt, D W Performance prediction and impeller diffuser matching for vaned diffuser centrifugal compressors TUR183
The influence of diffuser channel geometry on the flow range and efficiency of a centrifugal compressor A145
Ashmore, T R The application of dry gas seals to gas export compressors in the North Sea FM53
Ashton, E W S Product development problems in 1987—a diagnosis B191
Astridge, D G Tribology of high-conformity gears TRIii819
Atkins, D H F Identification of traffic related monitoring stations for the implementation of the European Community NO_2 Directive in the United Kingdom VE31
Atkins, M J Secondary losses and end-wall profiling in a turbine cascade TUR29
Aylward, R W London Underground prototype tube trains D21
Azimian, A R A tip treatment for axial flow fans and compressors IF35

Baglin, K P Mixed and micro-elastohydrodynamic lubrication and the dependence on operating conditions TRIi61
Bailey, J C Hydrocarbon speciation in motor vehicle exhaust and its significance for air quality VE177
Bair, S S The influence of ambient pressure on the apparent shear thinning of liquid lubricants—an overlooked phenomena TRIi395
Baker, P Development of specialized lubricants for use in critical applications TRIi461
Bakr, A A Modelling short cracks using the boundary element method BEM93
Ball, A The design and performance of steels in abrasive-corrosive mining environment TRIii595
Ball, D J Particulate carbon emissions and diesel vehicles VE83
Ball, E A Design and operation of engines in hazardous conditions. Operational experience and reliability HA61
Banisoleiman, K Computers in diesel engine turbocharging system design CET269
Barbella, A Behaviour of DI and IDI engines burning low-quality fuels VE247
Barber, J R Stability of thermoelastic contact TRIii981
Bard, H Aerodynamic fan design—computer techniques IF21
Barquins, M Adherence, friction and wear of rubber-like materials TRIi227
Barraclough, D R The composition improvement factor—a life extension factor describing compositional trends within an alloy grade SP309
Barton, P H Plastic envelopes and their problems for the postal service B137
Bartz, W J Experimental determination of pressure viscosity data TRIi483
Barwell, F T A semi-centennial perspective of lubrication TRIi9
Bass, R M Factors influencing the aerodynamic design of low pressure axial fans IF1

Batur, C A non-invasive laser-based method in flow visualization and evaluation in bearings TRIi37
Baumann, H Measuring surface temperatures between rolling steel cylinders using double-layer transducers C263
Baumann, K Dispersion of exhaust gases perpendicular to a heavily used motorway VE131
Beale, H The assessment of potentially suitable repository sites RW11
Beard, J The rational selection of palliatives for avoidance of fretting TRIi311
Beardmore, G The role of gas lubricated bearings in current and future sensors ID45
Beck, K E Bulk inert gas generation—a practical solution to enhance oil recovery in the North Sea FM5
Becker, A A Contact mechanics using the boundary element method TRIii975
Beckett, G Retubing of the main condenser and improvements to the air extraction system at the Central Electricity Generating Board—Hinkley Point 'B' power station SP161
Beech, S M Assessing the life of high-temperature steam turbine rotors SP53
Bekircan, S Peformance of a high-reduction planetary gear drive with respect to efficiency D293
Belardini, P Behaviour of DI and IDI engines burning low-quality fuels VE247
Bell, K Remanent life assessment of process plant HT51
Bennett, G Radio control—a system for the future DL157
Bennington, J A Tribology in Anglo-American Corporation, South Africa TRIii793
Bent, R G High-precision and high-performance motion systems ID149
Benyon, J A The development of a diesel engine acceptance test for British Railways DL49
Bera, H Tactile sensors for robot handling B51
Berns, H New abrasion resistant alloys TRIii603
Bertele, O V Motor and turbine as co-drivers FM123
Bertoli, C Behaviour of DI and IDI engines burning low-quality fuels VE247
Some experiences on the development of microturbulence combustion chambers VE213
Beswick, G E Application of the boundary element method to three-dimensional axisymmetric problems of elasticity BEM61
Bhardwaj, R K Prediction of the decay process in turbulent swirl flow C279
Billsdon, R P Customizing to increase CADCAM benefits CC87
Bindon, J P The measurement of tip clearance flow structure on the end-wall and within the clearance gap of an axial turbine cascade TUR43
Bingham, J F Intake system design using a validated internal combustion engine computer model CET111
Birch, N T Comparison between numerical solutions and measurements for a high-speed turbine blade TUR73
Birr-Meza, C Through-flow analysis in large low-pressure turbine at off-design conditions TUR293
Bishop, P R The Ford European computerized engine test facility CET249
Bissell, T B The refurbishment and life extension of coal and ash handling plant SP121
Blachut, J Elastic buckling of internally pressurized cylinder–bulkhead combinations C259
Plastic buckling of imperfect hemispherical shells subjected to external pressure C153
Black, I Conceptualization and computer aided design—an applications perspective CC49
Tackling the barriers to the effective implementation of
Blackburn, D J CADCAM communications—a practical approach CC141
Blahey, A G Wear and lubrication of ceramics TRIi555
Blair, A J Gas flow modelling of valves and manifolds in car engines CET131
Blair, G P Gas flow modelling of valves and manifolds in car engines CET131
Blank, L W Ecological effects of nitrogen oxides and hydrocarbons on central European forests VE17
Blaskovic, P The effect of technological modification of surfacing on tribological behaviour of deposits TRIii643
Blok, H Thermo-tribology—fifty years on TRIi1
Blount, N R Refurbishment and life extension of boiler and turbine generator plant SP9
Blume, J The influence of compression heat on viscosity TRIi437
Bohm, H The design and performance of steels in abrasive-corrosive mining environment TRIii595
Bolton, A N Acoustics of ducts and mufflers *(book review)* C457
Bolton, J L Design reassessment of turbine component life SP27
Bolusset, D The applications of dry seals and active magnetic bearings to an oil-free centrifugal compressor FM35
Booker, J F Power loss in connecting rod bearings TRIii701
Boos, E Aerodynamic fan design—computer techniques IF21
Booth, S J Retubing of the main condenser and improvements to the air extraction system at the Central Electricity Generating Board—Hinkley Point 'B' power station SP161
Boretti, A A Transonic profile losses in turbine bladings TUR157
Borland, G S Fire pumps for the oil and gas industry FM147
Borthwick, D Fully three-dimensional inviscid flow calculations for the final stage of a large low-pressure steam turbine TUR305
Borucki, A W The resiting, overhaul and modifications to two gas engine integral compressors to meet a revised process duty FM77
Bosschaerts, W R M Comparison of two explicit Euler solvers with a hybrid approach to calculate transonic cascade flows with embedded shocks TUR323
Bowie, C M Review of pressure parts refurbishment and repair with particular reference to reheater outlet header antler tube replacement at Cockenzie power station SP323
Boyle, J T Developments in methods of inelastic piping analysis A105
Bradfield, C D Performance of an electromagnetic bearing for vibration control of a supercritical shaft C201
Bradley, D Mathematical modelling of turbulent combustion CET315
Braun, M J A non-invasive laser-based method in flow visualization and evaluation in bearings TRIi37
Brentnall, J An automated system for the production of engine general arrangement drawings CET7
Brett, P S An investigation into lubricant related poisoning of automotive three-way catalysts VE305
Brett, S J The long-term creep rupture of nickel-based 'cold' welds in Cr-Mo-V components SP253
Briant, J Modifications of electron properties of friction surfaces in boundary lubrication TRIi447
Briscoe, B J The friction of polymers during non-linear

Briscoe, H M Active magnetic bearings *(discussion)* SB38
Britto, A M Critical state soil mechanics via finite elements *(book review)* C308
Bromley, J Monitoring of emissions from hazardous waste incineration C21
Brooks, B M Computer aided engineering at Dunlop Aviation Division CC91
Broughton, G F J Identification of traffic related monitoring stations for the implementation of the European Community NO_2 Directive in the United Kingdom VE31
Brown, C Fuel and core material performance in the prototype fast reactor A241
Brown, I A Diesel freight locomotives for British Railways DL31
Brown, P Tracing the sources of hydrocarbon emission in engines—a review of several research programmes made over the past five years VE229
Brown, T D Experience of prototype fast reactor fuel reprocessing A249
Buckley, D H Adhesion, friction and deformation of ion-beam-deposited boron nitride films TRIii621
Bugini, A The role of friction factor and piece geometry in upsetting TRIi511
Bulgarelli, C Mechanical and thermal finite element method analysis of the cylinder block of Fiat IDI/TC engine for automotive applications CET47
Bull, R J Concept to prototype using computing techniques CC113
Burdess, J S Plane stress vibrations in rotating discs C37
Butcher, M C An advanced integrated manufacturing system for turbine and compressor discs B129
Butterfield, R The application of the boundary element method to problems of elastically supported thin plates BEM35

Caffrey, P Gas turbine generator set and waste heat boiler in combined cycle IC31
Cai, R Thermodynamic availability and its application to combined heat and power *(discussion)* C307
Calvert, W J Performance of a civil fan rotor designed using a quasi-three-dimensional calculation system TUR103
Came, P M High-performance turbochargers for rail traction diesel engines DL125
Cameron, A Lubricant chemistry and tribology chemistry—boundary and extreme pressure lubrication TRIi355
Thickness measurements and mechanical properties of reaction films formed by zinc dialkyldithiophosphate during running TRIi565
Campbell, M An investigation into lubricant related poisoning of automotive three-way catalysts VE305
Cane, B J Remanent life assessment of process plant HT51
Cann, P M E The formation of thick films by phosphorus-based anti-wear additives TRIi543
Capece, V R Time-variant data acquisition and analysis for gas turbine aerofoil rows CET87
Carlton, R G The Central Electricity Generating Board approach to the determination of the remanent life of high-temperature turbine rotors SP45
Carter, B A Getting the best out of your workforce B215
Casey, M V A mean line prediction method for estimating the performance characteristic of an axial compressor stage TUR273
Casey, M V And now ... for something rather different D245
Cawley, P Use of the Fokker bond tester on joints with varying adhesive thickness B41
Cebeci, T Numerical and physical aspects of aerodynamic flows *(book review)* C233
Challen, J M An asperity deformation model for relating the coefficients of friction and wear in sliding metallic friction TRIii957
Chandra, P Effects of surface roughness and additives in lubrication: generalized Reynolds equation and its application to elastohydrodynamic film C1
Chaplin, A D Protected diesel engines for operation in marine environments HA49
Charlton, S J Multi-processor simulation of diesel engines for condition monitoring applications CET281
Chaudhri, M M The plastic deformation of single asperities by hard flats TRIii1003
Chen, S A loss model for the transonic flow low-pressure steam turbine blades TUR145
Chetwynd, D G The measurement of wear damage C251
Chew, J W Comparison between numerical solutions and measurements for a high-speed turbine blade TUR73
Childs, T H C Power transmission losses in V-belt drives Part 1: mismatched belt and pulley groove wedge angle effects D33
Part 2: effects of small pulley radii D41
Chilton, M D The Fort Dunlop combined heat and power plant IC43
Chin, S B Mathematical modelling of turbulent combustion CET315
Chirova, G Derivatography of aluminium-base lubricating greases TRIi455
Chittenden, R J The estimation of minimum film thickness in the design of concentrated contacts TRIii807
Cho, H S A parameter sensitivity analysis for the dynamic model of a variable displacement axial piston pump C235
An approach to the design of ideal robotic manipulators having simple dynamic characteristics B221
On the dynamics and control of robotic manipulators with an automatic balancing mechanism B25
On the implementation of an adaptive hybrid position/force control for manipulators C403
Steady state characteristics of a flapper-nozzle relief valve A135
Christian, R On-line vehicle simulation and digital control for transient engine conditions CET257
Christopoulos, C Transmission line modelling of shaft system dynamics C271
Chu, P S Y The rheological properties of elastohydrodynamic lubricants; regimes of traction in elastohydrodynamic lubrication *(discussion)* C151
Chung, W K On the dynamics and control of robotic manipulators with an automatic balancing mechanism B25
Ciaiolo, A Behaviour of DI and IDI engines burning low-quality fuels VE247
Clark, V L Computer integrated manufacturing: a case study in the development of thermoplastic seals B107
Clarke, M J On the problems involved in turning a computer aided draughting package into a computer aided design system CC13
Clements, W W Performance prediction and impeller diffuser matching for vaned diffuser centrifugal compressors TUR183
The influence of diffuser channel geometry on the flow range and efficiency of a centrifugal compressor A145
Clifton, D An electrochemical machining method for removal of samples and defective zones in metal pipes, vessels and structures B229
Cobb, R C The fretting wear of certain hard coatings including TiN applied to a 0.4C steel TRIi303

Colby, G M Hydraulic performance testing of centrifugal compressors—hydrocarbon versus inert gas FM59
Constable, G E P Training in advanced engineering design *(discussion)* B205, B212
Constans, B Engine crankshaft friction—test rig development for lubricant evaluation TRIi493
Cookson, R A Boundary element stress analysis of problems with edges and corners BEM49
Boundary element stress analysis with domain type loading BEM15
State-of-the-art review of the boundary element method BEM1
Cooney, D P Power recovery in process plants using radial inflow turbines FM219
Corcione, F E Some experiences on the development of microturbulence combustion chambers VE213
Cornish, S L Development of Ford engines below 1.4 litres to meet low emission levels VE197
Course, H Role of thermoplastic elastomers in sealing applications TE25
Cowburn, D Power transmission losses in V-belt drives Part 1: mismatched belt and pulley groove wedge angle effects D33
Part 2: effects of small pulley radii D41
Crawford, R J Thermoplastic elastomers—an overview TE1
Critelli, F X Research and test programme for enhancing the efficiency, productivity and reliability of rail motive power DL57
Crittenden, G C Fuel and core material performance in the prototype fast reactor A241
Crolla, D A Active suspension control for an off-road vehicle D1
Crosby, N Experimental and theoretical studies of mixed-flow fan performance TUR95
Cross, J Tackling the barriers to the effective implementation of CADCAM—one company's experience CC81
Crossland, B Engineering education for fitness for purpose B1
Culley, S J The use of component database systems for automatic component selection CC69
Cumberpatch, D C Climatic simulation in a purpose-built wind tunnel D273
Cumpsty, N A Loss mechanisms in turbomachines TUR1
Cupcic, S Physical properties of metal soap lubricants: rheology, phase transitions under high pressure TRIi411
Curd, P J The public needs to know RW45
Currie, J A N Flameproof diesel engines in underground coal mines in Britain—design features and operational experience HA17
Cutting, E J European automobile exhaust emissions—the fifth amendment VE43
Cuttler, D H Reduction and analysis of combustion data using linear and non-linear regression techniques CET219

Dacre, B Adsorption of the anti-wear and friction modifier additive dilinoleic acid on metals—influence of temperature and metal TRIi573
Daggett, K Boundary element stress analysis of problems with edges and corners BEM49
Daley, S Application of a fast self-tuning control algorithm to a hydraulic test rig C285
Attitude control of a spacecraft using an extended self-organizing fuzzy logic controller C97
Daniels, A R Multi-processor simulation of diesel engines for condition monitoring applications CET281
Darroch, F Experience with the deterioration of aluminium brass condenser tubes and the use of alternative materials SP173
Davies, A W Deep repository concepts for long lived radioactive wastes RW33
Davies, R Industrial applications of adhesive bonding *(book review)* C379
Davies, R A W The development of Cardiff Rod Mill since 1981 B117
Dawes, W N Application of a three-dimensional viscous compressible flow solver to a high-speed centrifugal compressor rotor—secondary flow and loss generation TUR53
Dawson, R A T A turbine life monitor for on-line evaluation of life expenditure SP61
Dean, D W Interaction of creep and fatigue damage in gas turbine blade material HT25
Dean, T A Surface stress measurements using conical oblique pins on a forging die mandrel B239
Deane, P W Opportunities for creative design with engineering thermoplastic elastomers TE35
Dee, A W Fire protection on trains D217
De Gee, A W J Characterization of five high-performance lubricants in terms of IRG transition diagram data TRIi427
Delamare, F Physical properties of metal soap lubricants: rheology, phase transitions under high pressure TRIi411
Del Giacomo, N Some experiences on the development of microturbulence combustion chambers VE213
de los Rios, E R The behaviour of short fatigue cracks *(book review)* C233
Demore, L A Design study for a high-stability large centrifuge test bed ID63
Denham, P Training in advanced engineering design *(discussion)* B212
Dent, J C Tracing the sources of hydrocarbon emission in engines—a review of several research programmes made over the past five years VE229
Denton, A A Training in advanced engineering design *(discussion)* B212
Denton, J D Base pressure measurements on a model of a turbine blade trailing edge TUR167
Loss mechanisms in turbomachines TUR1
Depierre, Y Near-zero wear in sodium environment with Tribaloy 700 plasma transferred arc coatings TRIii651
Derwent, R G Modelling secondary air pollutants from motor vehicles and their control VE71
The motor vehicle contribution to the long range transport and deposition of acidic nitrogen compounds VE9
Destombes, M Active magnetic bearings *(discussion)* SB38
Dibelius, G H Investigation of wet steam flow in turbines TUR135
Dimblebee, R A The rebuilding of Port Talbot Works hot strip mill A223
Dimitriadis, K P Numerical simulation of three-dimensional turbulent flow in exhaust-manifold junctions CET183
Ding, G-J The wear failure analysis of oil driller sliding bearings TRIii883
Dingle, W R Traction experience with a high-speed diesel engine and the way forward DL117
Dinsdale, J Training in advanced engineering design *(discussion)* B212
Ditting, G Bogie design philosophy for high adhesion and good riding quality DL193

Dixon, J C Limit steady state vehicle handling D281
The roll-centre concept in vehicle handling dynamics D69
Dmytrychenko, N Lubricant starvation in elastohydrodynamic elliptical contacts TRIi91
Dorey, R C The application of dry gas seals to gas export compressors in the North Sea FM53
Douglas, A Physical vapour deposition coatings—their properties and potential applications TRIii629
Douthwaite, C Manufacturing Industries Development Association in Surrey—the small company way for computer aided engineering? CC41
Dowler, H J Analysis of the forces on a nuclear fuel transport flask in an impact by a train A55
Downer, B M Cost effective improvements to the performance and reliability of boiler plant SP109
Dowson, D Osborne Reynolds Centenary (1886-1986) C75
The estimation of minimum film thickness in the design of concentrated contacts TRIii807
Draper, E J The development of a diesel engine acceptance test for British Railways DL49
Dubey, S P A test technique for the evaluation of grinding fluids TRIi517
Duboka, C Modelling of the tribological properties of friction materials used in motor vehicles brakes TRIii911
Duda, J L The adsorption of tribochemical reaction products at solid surfaces TRIi379
Dunn, K The importance of fuel costs in the consideration of through-life costs of diesel engines DL43
Dunn, M R The Bentley Turbo R D167
Dupont, H R Suitability of a standard design diesel locomotive DL227
Dyson, A Tribology of high-conformity gears TRIii819

Ebdon, P R Dry lubrication using a composite coating TRIi537
Edge, K A An adaptively controlled electrohydraulic servo-mechanism
Part 1: adaptive controller design B175
Part 2: implementation B181
The reduction of gear pump pressure ripple B99
Ediss, B G A gas turbine binary cycle IC65
Egan, J Cost effective improvements to the performance and reliability of boiler plant SP109
El-Bedeawi, S A Experiments on laminar flow about a rotating sphere in an air stream C427
Elder, R L A tip treatment for axial flow fans and compressors IF35
Simulation of the transient performance of a compressor in a natural gas pumpimg station FM105
Ellis, J On the computation of inertial coefficients in squeeze-film bearings C125
Ellison, E G Prediction of fracture at high temperature HT17
El-Shaarawi, M A I Experiments on laminar flow about a rotating sphere in an air stream C427
Elsworth, G A Life extension of generator rotors SP37
El-Tamimi, A M Product selection and investment appraisal for flexible assembly B35
El-Zafrany, A Boundary element stress analysis of problems with edges and corners BEM49
Boundary element stress analysis with domain type loading
BEM15 State-of-the-art review of the boundary element method BEM1
Emtage, A L A new look at the analysis of coast-down test results D91
Microprocessor control of the hydrogen/petrol engine CET231
Engler, B The use of three-way catalysts under extreme operation conditions VE275
Enomoto, Y Friction and wear of TiN+TiB_2, Ti(C, N) +TiB_2 ceramics TRIii615
Wearing behaviour of silicon nitride in plane contact TRIi173
Enright, P D Tribology in Anglo-American Corporation, South Africa TRIii793
Ershagi, B Power recovery in process plants using radial inflow turbines FM219
Eun, T On the implementation of an adaptive hybrid position/force control for manipulators C403
Evans, C R The influence of surface roughness on elastohydrodynamic traction C145
The rheological properties of elastohydrodynamic lubricants; regimes of traction in elastohydrodynamic lubrication *(discussion)* C151
Evans, D Advances in high-speed phosphor printing B85
Evans, H P Elastohydrodynamic lubrication of circumferentially finished rollers having sinusoidal roughness C29
Tribology of high-conformity gears TRIii819
Evans, W D J Catalytic exhaust emission control—progress in the application of catalysts in Europe VE281
Eve, R W Abrasive wear of lubricated contacts TRIi183
Everest, R Diesel emissions reduction using a catalyst and a water scrubber for underground mine applications HA25
Ezoe, S Friction coefficients between contacting teeth at start of running TRIii845

Fairweather, E J In-reactor inspections and repairs at Oldbury power station A207
Fancey, K S Tribological characterization of some second generation ceramic coatings deposited by ionization assisted physical vapour deposition TRIii637
Farr, G P R Brake pressure apportioning valves D193
Farr, J P G Electrochemical lubrication TRIi389
Farrar, D J CADCAM—productive or counterproductive? CC1
Fatemi-Ardakani, B The application of the boundary element method to problems of elastically supported thin plates BEM35
Fawcett, J N Plane stress vibrations in rotating discs C37
Feilden, G B R Training in advanced engineering design *(discussion)* B208
Felger, G Engine management systems—a substantial contribution to emission control VE259
Fendick, M St J Conformity of production testing VE349
Fessler, H Determination of the initial gaps between flat flanges without gaskets A267
Fialdini, L Coal–water slurry erosion characterization of ceramics and carbon steel TRIi345
Fiedler, H Medium-speed philosophy on diesel engines DL97
Field, J E Friction and wear of diamond TRIi205
Fielding, P J An assessment of the remanent creep life of a superheater header SP281
Figueredo, K R A An adaptively controlled electrohydraulic servo-mechanism
Part 1: adaptive controller design B175
Part 2: implementation B181
Filer, D E Training in advanced engineering design *(discussion)* B209

Finney, D Energy saving with electrical variable speed drives FM131
Finnis, M P Mixed and micro-elastohydrodynamic lubrication and the dependence on operating conditions TRIi61
Firoozian, R Estimation of the linearized damping of coefficients of a squeeze-film vibration isolator C181
Fischer, A New abrasion resistant alloys TRIii603
Fisher, E.H. Experimental and theoretical studies of mixed-flow fan performance TUR95
Fitzpatrick, J A The correlation of the characteristics of rough surfaces with their friction coefficients C321
Fleeter, S Time-variant data acquisition and analysis for gas turbine aerofoil rows CET87
Flewitt, P E J An assessment of the remanent creep life of a superheater header SP281
Flitney, R K A study of factors affecting mechanical seal performance A17
Flowers, R H Radioactive waste management practices in other countries RW39
Ford, M P A simplified turbocharged diesel engine model D229
Foroughi, F Tactile sensors for robot handling B51
Foster, D Economic performance optimization of a combined heat and power station A201
Foster, K Training in advanced engineering design *(discussion)* B212
Fowler, G J Commercial arrangements for co-generation in the UK and USA A259
Fox, C H J Evaluation of a two-axis rate gyro ID79
Fox, J A Compressible and leaky trains in tunnels D209
Frampton, M J The class 59 locomotives for Foster Yeoman on British Railways DL249
French, M J Training in advanced engineering design *(discussion)* B209
Frew, J D Experience of prototype fast reactor fuel reprocessing A249
Froude, S F Thermoplastic polyurethane TE11
Fujita, T Secondary seal effects in hydrostatic non-contact seals for reactor coolant pump shaft TRIii733
Fussey, D E Assessing the contribution of lubricating oil to diesel exhaust particulates using geochemical markers VE109
The development of a novel exhaust sampling technique with particular relevance to polycyclic aromatic hydrocarbons VE97

Gahan, D F Environmental considerations in the design of fibre optic gyroscopes ID113
Gale, D Computer aided engineering/manufacturing in Rolls-Royce CET307
Galletly, G D Buckling of shallow dished ends under external pressure—a caveat C373
Design equations for preventing buckling in fabricated torispherical shells subject to internal pressure *(discussion)* A153
Elastic buckling of internally pressurized cylinder–bulkhead combinations C259
Plastic buckling of imperfect hemispherical shells subjected to external pressure C153
Gallois, J High- and medium-speed engines in diesel locomotives DL107
Gandhi, H S Technical considerations for catalyst for European market VE295
Gant, G C Reliability and maintainability in a turbine governing system A29
Gardner, I M Maintainability aspects of process plant pipe joints A69
Garnett, P Flameproof exhaust systems HA35
Gaskell, P H Mathematical modelling of turbulent combustion CET315
Gauthier, A Engine crankshaft friction—test rig development for lubricant evaluation TRIi493
Geddam, A Manufacturing aspects of some critical high-precision mechanical components of inertial devices ID125
Gentili, E The role of friction factor and piece geometry in upsetting TRIi511
Gentle, C R Analysis of a high-speed, deep groove ball bearing with ceramic balls TRIii851
Gethin, D T Thermodynamic behaviour of profile bore bearings TRIi145
Gibbings, J C Boundary layer transition on a concave surface TUR223
Gill, K F Attitude control of a spacecraft using an extended self-organizing fuzzy logic controller C97
Performance evaluation of motor vehicle active suspension systems D135
Gill, M E Simulation of the transient performance of a compressor in a natural gas pumpimg station FM105
Gillespie, D A Gas-fed reciprocating engine development A127
Ginder, R B Performance of a civil fan rotor designed using a quasi-three-dimensional calculation system TUR103
Ginniff, M E The characteristics of disposal sites and repositories RW5
Girgis, N S Reduction and analysis of combustion data using linear and non-linear regression techniques CET219
Glatz, H R The historic development, the political background and the future perspectives of motor vehicle emission control and emission control regulation in Europe VE1
Gohar, R Lubricant starvation in elastohydrodynamic elliptical contacts TRIi91
Gooch, D J The Central Electricity Generating Board approach to the determination of the remanent life of high-temperature turbine rotors SP45
Gordon, C S Development of a new micro-porous retainer material for precision ball bearings ID53
Goulas, A Laser doppler anemometer measurements and flow predictions in a turbine nozzle cascade TUR211
Gould, A W Gas circulator repairs A215
Goulimis, C Computer aided planning CC127
Grant, J Fully three-dimensional inviscid flow calculations for the final stage of a large low-pressure steam turbine TUR305
Green-Armytage, D I Comparison of methods for the calculation of mass fraction burnt from engine pressure–time diagrams D61
Greenwood, J A Thickness measurements and mechanical properties of reaction films formed by zinc dialkyldithiophosphate during running TRIi565
Greenwood, J C Silicon microengineering for accelerometers ID191
Gregory-Smith, D G The effect of inlet skew on the secondary flows and losses in a turbine cascade TUR15
Griffiths, J Bulk inert gas generation—a practical solution to enhance oil recovery in the North Sea FM5
Grison, P Through-flow analysis in large low-pressure turbine at off-design conditions TUR293
Gristwood, P A A boiler maker's approach to plant refurbishment SP99
Gruden, D Possible spark-ignition engine technologies for European exhaust emission legislations VE187

Guelich, J Review of parameters influencing hydraulic forces on centrifugal impellers A163
Guest, T L Electrochemical lubrication TRIi389
Gunn, M J Critical state soil mechanics via finite elements *(book review)* C308
Guyott, C C H Use of the Fokker bond tester on joints with varying adhesive thickness B41

Habeeb, J J Wear and lubrication of ceramics TRIi555
Hager, W H Flow in collecting conduits C439
Haigh, J M Practical assessments of defects in high-temperature plant HT37
Hakim, K A A Influence of the quality of motor oils on pitting using a cam/follower simulator TRIi523
Halford, G R Structural analysis of turbine blades using unified constitutive models CET145
Hall, B B Performance evaluation of motor vehicle active suspension systems D135
Haller, B R Performance improvements to existing steam turbines SP79
Hamer, H Diesel locomotive maintenance DL37
Hamkins, C P Prediction of viscosity effects in centrifugal pumps by consideration of individual losses FM207
Hampsheir, P R Design and construction of the Nchanga copper tailings plant stage 3 A77
Hampshire, J M Rolling bearings—load ratings and life SB51
Hardy, A E J Environmental impact of diesel locomotives DL71
Harris, N Commercial factors outweigh the technical difficulties of system integration CC7
Harris, N J Development of a new micro-porous retainer material for precision ball bearings ID53
Harshman, M W Design study for a high-stability large centrifuge test bed ID63
Harwood, N A Performance criteria for diesel locomotive bogies DL177
Hassan, S A Performance and design considerations for dissipative semi-active suspension systems for automobiles D149
Havlicsek, H S Design study for a high-stability large centrifuge test bed ID63
Hawkes, E M The Central Electricity Generating Board approach to the determination of the remanent life of high-temperature turbine rotors SP45
Hay, N Fan blade selection for low noise IF51
Hayward, I P Friction and wear of diamond TRIi205
Haywood, R W Thermodynamic availability and its application to combined heat and power plant *(discussion)* C307
Henderson, D A Design study for a high-stability large centrifuge test bed ID63
Hendricks, R C A non-invasive laser-based method in flow visualization and evaluation in bearings TRIi37
Hepworth, J K The assessment of remanent creep life estimation using full size component tests SP237
Hergt, P H Prediction of viscosity effects in centrifugal pumps by consideration of individual losses FM207
Herraty, A G New methods for the selection of rolling bearings SB1
Hesketh, J A Performance improvements to existing steam turbines SP79
Hill, J C Process integration—a structured approach to operating cost reduction A155
Hill, R The role of welding in the repair or refurbishment of steam turbine plant SP215
Hills, D A An analysis of fretting fatigue TRIii965
Hirabayashi, H Secondary seal effects in hydrostatic non-contact seals for reactor coolant pump shaft TRIii733
Hitchings, D Application of the boundary element method to three-dimensional axisymmetric problems of elasticity BEM61
Hoare, R G Five-hole pressure probe analysis and traversing conditions—centrifugal fans IF13
Hodgson, M A The Ford central fuel injection system VE269
Hohlweg, W C Correlation and application of centrifugal compressor return system losses FM97
Hooke, C J The calculation of film thickness in soft, highly deformed contacts under dynamic conditions C171
Horlock, J H Approximate analyses of feed and district heating cycles for steam combined heat and power plant A193
Thermodynamic availability and its application to combined heat and power plant *(discussion)* C307
Training in advanced engineering design *(discussion)* B210
Horrocks, R W Particulate control systems for diesel engines VE319
Horseman, G M Assessing the life of high-temperature steam turbine rotors SP53
Horton, A Bulk inert gas generation—a practical solution to enhance oil recovery in the North Sea FM5
Horton, D N L Active suspension control for an off-road vehicle D1
Hough, A M Modelling secondary air pollutants from motor vehicles and their control VE71
Houpert, L G Dry and lubricated contact of rough surfaces TRIi71
Howard, M A A computer system for aerodynamic and thermal design of turbines CET151
Howden, M Radioactive effluent treatment plant—Sellafield reprocessing factory A1
Hu, D Y The friction and wear characteristics of polymer anti-friction coating and their application to the machine tool industry in China TRIii747
Huet, J M Mechanical and dynamic properties of polyether-block-amide TE21
Hughes, S F Improved boiler feed pump availability by retrofitting SP193
Review of parameters influencing hydraulic forces on centrifugal impellers A163
Hulme, G W The use of component database systems for automatic component selection CC69
Hunter, S D Oil film thickness measurement and analysis for an angular contact ball bearing operating in parched elastohydrodynamic lubrication TRIi81
Hurst, K S The implementation and management of a CAD system in a medium-sized mechanical engineering company CC37
Hustak, J F Comparison of analytical and field experience for a centrifugal compressor using active magnetic bearings FM43
Huxley, A S The electrostatically suspended gyroscope—a review of mechanical design aspects ID37
Hyde, T H Determination of the initial gaps between flat flanges without gaskets A267

Ichikawa, T Study of the trapping of fluid in a gear pump A39
Ida, N A non-invasive laser-based method in flow visualization and evaluation in bearings TRIi37
Iivonen, H Development of an on-line condition monitoring system based on ferrography TRIii877
Imada, Y The effect of grain size on the wear behaviour of Mn–Zn ferrite TRIii671

Ioannides, E Dry and lubricated contact of rough surfaces TRIi71
Iqbal, M Boundary element stress analysis with domain type loading BEM15
Ishibashi, A Friction coefficients between contacting teeth at start of running TRIii845
On wear and failure of W–N gear pairs with steel pinion and plastic wheel TRIii839
Ishigaki, J Friction and wear of partially stabilized zirconia TRIii609
Ishizawa, S Gas exchange simulation model for improving charging efficiency of four-valve internal combustion engine CET123
Itsuji, Y Study of the trapping of fluid in a gear pump A39
Ives, D The effect of multiple supply sources on the performance of heavily loaded pressurized high-speed journal bearings TRIi121
Iwamoto, S The application of a combined transfer matrix and finite element method to the estimation of vibration stresses of a reciprocating engine crankshaft CET79
Iwasa, M Friction and wear of partially stabilized zirconia TRIii609

Jackman, D E The implementation and management of a CAD system in a medium-sized mechanical engineering company CC37
James, A S Tribological characterization of some second generation ceramic coatings deposited by ionization assisted physical vapour deposition TRIii637
James, M D The development of Cardiff Rod Mill since 1981 B117
James, P W Excess streamwise vorticity and its role in secondary flow C413
Jee, P E Implications of the future European emissions scene for the motor industry—effect on overall industry costs and complexity VE345
Jehl, J The applications of dry seals and active magnetic bearings to an oil-free centrifugal compressor FM35
Jepson, D Diesel emissions reduction using a catalyst and a water scrubber for underground mine applications HA25
Jeske, H O Prediction of viscosity effects in centrifugal pumps by consideration of individual losses FM207
Johns, P B Transmission line modelling of shaft system dynamics C271
Johnson, C D An automated system for the production of engine general arrangement drawings CET7
Johnson, K L Aspects of contact mechanics TRIii919
The influence of surface roughness on elastohydrodynamic traction C145
The rheological properties of elastohydrodynamic lubricants; regimes of traction in elastohydrodynamic lubrication *(discussion)* C151
Johnson, M W Boundary layer transition on a concave surface TUR223
Mean and turbulent flow measurements within the vaneless diffuser of a centrifugal compressor TUR175
Johnson, R P Finite element or boundary element—an example in three-dimensional solids BEM69
Johnston, G J The formation of thick films by phosphorus-based anti-wear additives TRIi543
Jolliffe, B W Identification of traffic related monitoring stations for the implementation of the European Community NO_2 Directive in the United Kingdom VE31
Jones, A D Multi-processor simulation of diesel engines for condition monitoring applications CET281
Jones, B G The development of a miniature twin-axis gyroscope ID29
Jones, E Environmental considerations in the design of fibre optic gyroscopes ID113
Jud, W Review of parameters influencing hydraulic forces on centrifugal impellers A163

Kamata, M Improving diesel vehicles' driveability by a new control technology CET241
Kapsa, P H Frictional properties of silicon carbide against steel and sapphire in dry conditions TRIii687
Karami, G Elastohydrodynamic lubrication of circumferentially finished rollers having sinusoidal roughness C29
Karapetrova, S V Friction and sealing ability properties of ball bearings with sealing washers TRIii871
Karunendiran, R Performance of an electromagnetic bearing for the vibration control of a supercritical shaft C201
Katsoulakos, P S Monitoring, databases and expert systems in the development of engine fault diagnostics CET293
Kaufman, A Structural analysis of turbine blades using unified constitutive models CET145
Kelly, D A Mixed and micro-elastohydrodynamic lubrication and the dependence on operating conditions TRIi61
Kemp, P J Design equations for preventing buckling in fabricated torispherical shells subject to internal pressure *(discussion)* A153
Kemry, M M Experiments on laminar flow about a rotating sphere in an air stream C427
Kennaway, A Training in advanced engineering design *(discussion)* B209
Kennedy, J S Effects of surface roughness and additives in lubrication: generalized Reynolds equation and its application to elastohydrodynamic film C1
Kernahan, A R Refurbishment and life extension of feedheating and condensing plant SP151
Kewley, D Aluminium alloy body structures for future vehicles D129
Key, A N Hovercraft skirt design and manufacture B79
Khaleghi, H Three-dimensional diesel engine spray modelling CET199
Kidd, P G The rebuilding of Port Talbot Works hot strip mill A223
Kilgore, T H Adapting state-of-the-art turbojet aerodynamic design techniques to industrial axial compressors FM117
Kim, S D A parameter sensitivity analysis for the dynamic model of a variable displacement axial piston pump C235
Kim, Y-D Modal balancing of flexible rotors during operation: design and manual operation of balancing head C349
Kimura, Y Film thickness at elastohydrodynamic conjunctions lubricated with oil-in-water emulsions TRIi85
Wearing behaviour of silicon nitride in plane contact TRIi173
King, G H The process industries—the potential for increasing energy efficiency through innovation A47
Kingsbury, E Oil film thickness measurement and analysis for an angular contact ball bearing operating in parched elastohydrodynamic lubrication TRIi81
Kirke, M J Locomotive requirements for a heavy haul railway DL7
Kirkpatrick, R J Groove formation and interaction during abrasion of copper TRIi239

Kjeldsteen, P A practical description of pin-on-disc testing of surface treated powder metallurgy materials TRIii679
Klanner, W The concerns for the consumer in operating low-pollution vehicles VE357
Klaus, E E The adsorption of tribochemical reaction products at solid surfaces TRIi379
Klumpp, D H Technical features of three-phase propulsion DL137
Koberstein, E The use of three-way catalysts under extreme operation conditions VE275
Koga, T Secondary seal effects in hydrostatic non-contact seals for reactor coolant pump shaft TRIii733
Kohler, H The derivation of gear transmission error from pitch error records *(discussion)* C230
Kopalinsky, E M An asperity deformation model for relating the coefficients of friction and wear in sliding metallic friction TRIii957
Korte, V Possible spark-ignition engine technologies for European exhaust emission legislations VE187
Krain, H Experimental and theoretical analysis of centrifugal compressor impeller flow TUR199
Kriegler, W On-line vehicle simulation and digital control for transient engine conditions CET257
Krishnamurthy, R Wear characteristics of ion implanted cutting tools TRIii665
Kruzelecki, J Plastic buckling of imperfect hemispherical shells subjected to external pressure C153
Kuksenova, L I Physical criteria of wear resistance of metal materials in surface-active lubricating media TRIi419
Kurihara, N An advanced engine control system using combustion pressure sensors D55

La Hargue, J P E3D—a tool for development of interactive system in structural analysis CET165
Lacy, D J Computers in analysis techniques for reciprocating engine design CET55
Lambert, N Tracing the sources of hydrocarbon emission in engines—a review of several research programmes made over the past five years VE229
Lane, R D The refurbishment and life extension of coal and ash handling plant SP121
Langton, T J High technology equipment and facility for efficient maintenance in the motor industry B21
Lansdown, A R Lubricants TRIi365
Lansiaux, P CADCAM in Rolls-Royce aero engines CC103
Larsen-Basse, J Effects of hardness and local fracture toughness on the abrasive wear of WC–Co alloys TRIi277
Lau, A K C Mathematical modelling of turbulent combustion CET315
Law, D V Identification of traffic related monitoring stations for the implementation of the European Community NO_2 Directive in the United Kingdom VE31
Laws, C W Vibration condition monitoring of rotating machinery FM15
Lawton, B Effect of compression and expansion on instantaneous heat transfer in reciprocating internal combustion engines A175
Ledsome, C Training in advanced engineering design *(discussion)* B209
Lee, C O A parameter sensitivity analysis for the dynamic model of a variable displacement axial piston pump C235
Lee, C W Computer aided engineering at Dunlop Aviation Division CC91
Lee, C-W Modal balancing of flexible rotors during operation: design and manual operation of balancing head C349
Lee, F O Y Maintainability aspects of process plant pipe joints A69
Lee, S-Y A study on the three-dimensional analysis of the transient temperature distribution in gas tungsten arc welding B149
Leech, C M A boundary element procedure for the static analysis of thin beams BEM9
A variational boundary node formulation for a two-dimensional plate analysis BEM41
Leheup, E R The effects of psuedo-random excitation and gas pressure on the fretting wear of various steels TRIi321
Lenz, H P Future trends of road traffic exhaust emissions in Austria under the new exhaust regulations VE171
Leschziner, M A Numerical simulation of three-dimensional turbulent flow in exhaust-manifold junctions CET183
Lesnak, S The effect of technological modification of surfacing on tribological behaviour of deposits TRIii643
Leung, C W Natural-convective heat exchanger with vertical rectangular fins and base: design criteria C365
Levy, J C Training in advanced engineering design *(discussion)* B210
Lewis, G Performance of a civil fan rotor designed using a quasi-three-dimensional calculation system TUR103
Lewis, L V Determination of the initial gaps between flat flanges without gaskets A267
Leyland, A Tribological characterization of some second generation ceramic coatings deposited by ionization assisted physical vapour deposition TRIii637
Li, J Y The finite element and boundary element methods in gas lubrication TRIi53
Li, W A new numerical technique for the analysis of lubricating films, Part 2: Precision and convergence TRIi47
Lickley, Sir Robert Training in advanced engineering design *(discussion)* B205, B213
Lines, J A Active suspension control for an off-road vehicle D1
Lipscombe, B R The reduction of gear pump pressure ripple B99
Liu, D The finite element and boundary element methods in gas lubrication TRIi53
Liu, D C Adhesion, friction and deformation of ion-beam-deposited boron nitride films TRIii621
Liu, Y H The finite element and boundary element methods in gas lubrication TRIi53
Lloyd, D F A supplementary fired gas turbine waste heat recovery installation at the Boots Company plc, Nottingham IC19
Lo, P M Power loss in connecting rod bearings TRIii701
Lockett, P E The behaviour of the ball–hole interface in the ballizing process TRIii759
Logsdon, J R The composition improvement factor—a life extension factor describing compositional trends within an alloy grade SP309
Longchampt, J Study of anti-wear properties of zinc dialkyldithiophosphates through sliding-induced electronic emission TRIi531
Lonsdale, D An assessment of the remanent creep life of a superheater header SP281
Lorenzen, J Design, testing and commissioning of the reinjection centrifugal compressors for the Alrar gas treatment plant FM67
Lossie, C M Characterization of five high-performance lubricants in terms of IRG transition diagram data

Lubrecht, A A Dry and lubricated contact of rough surfaces TRIi71
Lucas, G G A new look at the analysis of coast-down test results D91
Microprocessor control of the hydrogen/petrol engine CET231
Lygo, Admiral Sir Raymond Picking winners to safeguard competitiveness in manufacturing B123
Lyth, C W Life management of the Wairakei geothermal power resource and its steam plant SP271

Ma, T H Tracing the sources of hydrocarbon emission in engines—a review of several research programmes made over the past five years VE229
Maccarini, G C The role of friction factor and piece geometry in upsetting TRIi511
McCaskie, J C Training in advanced engineering design *(discussion)* B205
McDermid, B Five-hole pressure probe analysis and traversing conditions—centrifugal fans IF13
Macdonald, A N The Central Electricity Generating Board steam turbine efficiency improvement programme SP71
MacDonald, H B Waste heat recovery to produce additional power at Lerwick 'B' IC83
McEwen, D The design of a mixed flow fan of simple blade geometry IF27
Maceyka, T D New two-stage concept optimizes high-speed pump performance FM185
McFadden, R A Bringing combined heat and power/district heating to two UK cities A187
McGeough, J A An electrochemical machining method for removal of samples and defective zones in metal pipes, vessels and structures B229
McInerney, P T The overall strategy for radioactive waste management RW1
McIntyre, P The implications of corrosion pitting for the refurbishment of low-pressure turbine rotor shafts SP315
McKee, F A The measurement of wear damage C251
McKenzie, A B A tip treatment for axial flow fans and compressors IF35
The selection of fan blade geometry for optimum efficiency IF45
McKeown, P A Training in advanced engineering design *(discussion)* B207, B210
McMath, W S Gyro testing and evaluation at the Communications Research Centre ID167
MacMillan, C G The development of damage-free level transfers B91
MacPhee, D Cost benefits associated with the application of integrated computer aided engineering systems to process plant design CC121
Madzia, N W Electrically insulated rolling bearings TRIii859
Mahmoud, S Application of optimal control and eigenvalue eigenvector assignment for jet engine control CET103
Maiss, K J Three-phase locomotives for German private railways DL165
Maksoud, T M A Mean and turbulent flow measurements within the vaneless diffuser of a centrifugal compressor TUR175
Malpas, R Strategies for success in manufacturing B143
Mark, W D The derivation of gear transmission error from pitch error records *(discussion)* C230
The role of the discrete Fourier transform in the contribution to gear transmission error spectra from tooth-spacing errors C227
Marlow, B The packaging and transport of radioactive waste RW19
Marlow, B A Refurbishment and life extension of boiler and turbine generator plant SP9
The mechanical design of large turbogenerators A91
Marscher, W D The relationship between pump rotor system tribology and appropriate vibration specifications for centrifugal pumps FM157
Marshall, J W The engine bearing—fifty years on TRIii771
Martelli, F Transonic profile losses in turbine bladings TUR157
Martin, F A Power loss in connecting rod bearings TRIii701
Martinella, R G Coal–water slurry erosion characterization of ceramics and carbon steel TRIi345
Mascarell, J P E3D—a tool for development of interactive system in structural analysis CET165
Mascellini, R Mechanical and thermal finite element method analysis of the cylinder block of Fiat IDI/TC engine for automotive applications CET47
Mather, J S B Fan blade selection for low noise IF51
Mathew, P Allowing for nose radius effects in predicting the chip flow direction and cutting forces in bar turning C213
Matsubara, K A study of rolling friction by a ball rolling pendulum TRIi261
Matthews, A Tribological characterization of some second generation ceramic coatings deposited by ionization assisted physical vapour deposition TRIii637
Maurin-Perrier, P Frictional properties of silicon carbide against steel and sapphire in dry conditions TRIii687
Mehta, A K A test technique for the evaluation of grinding fluids TRIi517
Meier, U Proposal for a carbon fibre reinforced composite bridge across the Strait of Gibralter at its narrowest site B73
Meleka, J Training in advanced engineering design *(discussion)* B208, B210
Menne, R J Lean-burn engines—induction system optimization as a means to improve the operating characteristics of four-valve spark-ignition engines VE237
Mens, J W M Characterization of five high-performance lubricants in terms of IRG transition diagram data TRIi427
Mercer, C I Medium friction non-metallic composition brake shoes as direct replacement for cast iron brake shoes on rolling stock D11
Mertens, K Investigation of wet steam flow in turbines TUR135
Metcalfe, P Training in advanced engineering design *(discussion)* B212
Metcalfe, R Fan blade selection for low noise IF51
Numerical and physical aspects of aerodynamic flows *(book review)* C233
Meyer, B R High-adhesion locomotives with controlled creep DL209
Michelson, E Identification of traffic related monitoring stations for the implementation of the European Community NO_2 Directive in the United Kingdom VE31
Midgley, J W An electrochemical machining method for removal of samples and defective zones in metal pipes, vessels and structures B229
Miles, J C Analysis of the forces on a nuclear fuel transport flask in an impact by a train A55
Miller, D C Off-design prediction of compressor blade losses TUR249

Miller, K J The behaviour of short fatigue cracks *(book review)* C233
Millman, R S The effects of psuedo-random excitation and gas pressure on the fretting wear of various steels TRIi321
Millward, G E The development of a novel exhaust sampling technique with particular relevance to polycyclic aromatic hydrocarbons VE97
Milne, P A High technology in shipbuilding B59
Minchull, D R Performance criteria for diesel locomotive bogies DL177
Minter, R H London Underground prototype tube trains D21
Missaghi, M Mathematical modelling of turbulent combustion CET315
Mitchell, J M Development of advanced low-pressure blading for steam turbines and experience with retrofitting SP91
Miyoshi, K Adhesion, friction and deformation of ion-beam-deposited boron nitride films TRIii621
Mizuhara, K Friction and wear of TiN+TiB_2, Ti(C, N)+TiB_2 ceramics TRIii615
Moalic, H The correlation of the characteristics of rough surfaces with their friction coefficients C321
Molyneaux, T C K Analysis of the forces on a nuclear fuel transport flask in an impact by a train A55
Monteil, G Study of anti-wear properties of zinc dialkyldithiophosphates through sliding-induced electronic emission TRIi531
Montmitonnet, P Physical properties of metal soap lubricants: rheology, phase transitions under high pressure TRIi411
Moodie, R A J Bringing combined heat and power/district heating to two UK cities A187
Moore, J Three-dimensional viscous flow calculations for loss prediction in turbine blade rows TUR63
Moore, J G Three-dimensional viscous flow calculations for loss prediction in turbine blade rows TUR63
Moore, M J A study of supercritical heat addition as a potential loss mechanism in condensing steam turbines TUR125
Moore, S L The effect of viscosity grade on piston ring wear and oil film thickness in two particular diesel engines TRIi473
Moore, W Flue gas corrosion in coal-fired power stations SP141
Morizur, M F Modifications of electron properties of friction surfaces in boundary lubrication TRIi447
Morri, J R The synergism of impact wear and oxidation in carbon dioxide environments TRIi329
Moss, J B Modelling combustion chemistry for practical fuels in engine flowfield computations CET175
Mottershead, J E Estimation of the linearized damping of coefficients of a squeeze-film vibration isolator C181
Mouginot, R Sliding Hertzian fracture TRIii995
Muhl, G H Medium-speed philosophy on diesel engines DL97
Mulholland, R G Design improvements to air preheaters and fans as part of a power station refurbishment and life extension programme SP131
Mullen, R L A non-invasive laser-based method in flow visualization and evaluation in bearings TRIi37
Mulvihill, P The implications of corrosion pitting for the refurbishment of low-pressure turbine rotor shafts SP315
Muneer, T An anisotropic model for inclined surface solar irradiation C11
Munjal, M L Acoustics of ducts and mufflers *(book review)* C457
Murchie, R J Assessing the suitability of TPRs for motor vehicles TE31
Murray, J L Conceptualization and computer aided design—an applications perspective CC49
Muscroft, J Options for refurbishment of turbine plant SP1

Na, S-J A study on the three-dimensional analysis of the transient temperature distribution in gas tungsten arc welding B149
Nagarajan, R The adsorption of tribochemical reaction products at solid surfaces TRIi379
Nagase, J Development of a pre- and post-processing system for the finite element method CET17
Nagata, R Friction and wear of partially stabilized zirconia TRIii609
Nakajima, K The effect of grain size on the wear behaviour of Mn–Zn ferrite TRIii671
Nash, F Waste heat recovery to produce additional power at Lerwick 'B' IC83
Nau, B S A study of factors affecting mechanical seal performance A17
Neal, A N The design of a mixed flow fan of simple blade geometry IF27
Neale, M J The application of tribology to design TRIii697
Newland, J Monitoring, databases and expert systems in the development of engine fault diagnostics CET293
Newton, J W The resiting, overhaul and modifications to two gas engine integral compressors to meet a revised process duty FM77
Niikura, T A consideration in strength evaluation methodology for diagonally split connecting rod CET39
Niven, B Maintenance—some legal aspects B197
Northall, J D Three-dimensional viscous flow calculations for loss prediction in turbine blade rows TUR63
Nouvion, F F Considerations on the use of d.c. and three-phase traction motors and transmission system in the context of motive power development D99
Nowell, D An analysis of fretting fatigue TRIii965
Nuttall, J D The electrostatically suspended gyroscope—a review of mechanical design aspects ID37

O'Callaghan, P W Alleviating thermal resistances of thermally distorted pressed contacts C421
Critical influence of distortion on the thermal resistance of a pressed contact C45
O'Connor, J J An analysis of fretting fatigue TRIii965
Ohsawa, K Simulation of spray combustion in an axisymmetric small direct injection diesel engine CET191
Okada, K Film thickness at elastohydrodynamic conjunctions lubricated with oil-in-water emulsions TRIi85
Wearing behaviour of silicon nitride in plane contact TRIi173
Okamoto, K Improving diesel vehicles' driveability by a new control technology CET241
Okamura, H Signal measurement and analysis of cylinder pressure, engine structural vibrations and engine noise in a swirl-chamber-type diesel engine CET69
Oliver, G R Protection of diesel engines operating in hazardous environments HA11
Organ, A J Thermodynamic analysis of the Stirling cycle machine—a review of the literature C381
Thermodynamic design of Stirling cycle machines C107

Osborne, B J Upgrading and refurbishment opportunities for boiler feed pumps SP181
Oxley, P L B Allowing for nose radius effects in predicting the chip flow direction and cutting forces in bar turning C213
An asperity deformation model for relating the coefficients of friction and wear in sliding metallic friction TRIii957

Pacagnella, R The role of friction factor and piece geometry in upsetting TRIi511
Paetke, S J Groove formation and interaction during abrasion of copper TRIi239
Painter, R M The class 59 locomotives for Foster Yeoman on British Railways DL249
Palgrave, R Water injection—onshore/offshore FM137
Pan, C H T A new numerical technique for the analysis of lubricating films, Part 2: Precision and convergence TRIi47
Panesar, A Tracing the sources of hydrocarbon emission in engines—a review of several research programmes made over the past five years VE229
Pang, S W Diesel emissions reduction using a catalyst and a water scrubber for underground mine applications HA25
Park, H S An approach to the design of ideal robotic manipulators having simple dynamic characteristics B221
Parker, A P Modelling short cracks using the boundary element method BEM93
Parker, D A The quantification and reduction of piston slap noise D235
Parker, D D The engine bearing—fifty years on TRIii771
Parkins, D W Oscillatory oil squeeze films TRIi27
Parry, A A The effects of psuedo-random excitation and gas pressure on the fretting wear of various steels TRIi321
Partridge, G J Transmission line modelling of shaft system dynamics C271
Pasdari, M Analysis of a high-speed, deep groove ball bearing with ceramic balls TRIii851
Pastoors, J T W Residual lifetime of 14MoV63 reheat lines after repair by welding SP249
Peacocke, R P Retubing of the main condenser and improvements to the air extraction system at the Central Electricity Generating Board—Hinkley Point 'B' power station SP161
Pearcy, M J Soft layer lubrication of artificial hip joints TRIii715
Pearson, A Combined cycle energy centres in diverse production facilities IC1
Peeken, H The influence of compression heat on viscosity TRIi437
Pees, E Bogie design philosophy for high adhesion and good riding quality DL193
Pendlebury, R E Unlubricated fretting and sliding wear of steels in air TRIi267
Peppiatt, N A Computer integrated manufacturing: a case study in the development of thermoplastic seals B107
Perkins, N R An advanced integrated manufacturing system for turbine and compressor discs B129
Pessen, D W Using programmable controllers for sequential systems with random inputs C245
Petch, G S Assessing the contribution of lubricating oil to diesel exhaust particulates using geochemical markers VE109
The development of a novel exhaust sampling technique with particular relevance to polycyclic aromatic

Peters, R B Use of multiple acceleration references to obtain high-precision centrifuge data at low cost ID157
Peterson, M B Advancements in tribological materials 1937–1987–2002 TRIii583
Peto, M G An advanced integrated manufacturing system for turbine and compressor discs B129
Petr, V A survey of relaxation losses in a turbine blading operating in wet steam TUR113
Petryk, H Slip line field solutions for sliding contact TRIii987
Phillips, A L Combined cycle energy centres in diverse production facilities IC1
Phillips, H Safety requirements for diesel engines to operate in non-mining hazardous atmospheres HA5
Pickard, A C Interaction of creep and fatigue damage in gas turbine blade material HT25
Picker, C Creep/fatigue crack growth in Type 316 stainless steel HT59
Pijard, B Frictional properties of silicon carbide against steel and sapphire in dry conditions TRIii687
Pitcher, R H Active suspension control for an off-road vehicle D1
Pitt, R U Investigation of wet steam flow in turbines TUR135
Pivin, J C Surface hardness of trinickel boride—the effect of indent size disorder and amorphization TRIi179
Plant, R C A Contact mechanics using the boundary element method TRIii975
Play, D Dry bearing wear under variable amplitude oscillating motion TRIi211
Pleskachevskii, Y M On the corrosion-mechanical concept of wear for tribological metal–polymer systems TRIi339
Pluess, F Design, testing and commissioning of the reinjection centrifugal compressors for the Alrar gas treatment plant FM67
Police, G Behaviour of DI and IDI engines burning low-quality fuels VE247
Some experiences on the development of microturbulence combustion chambers VE213
Pollard, D J Manufacturing Industries Development Association in Surrey—the small company way for computer aided engineering? CC41
Pollock, H M Surface hardness of trinickel boride—the effect of indent size disorder and amorphization TRIi179
Porteous, A A review of developments in the acid hydrolysis of cellulosic wastes C117
Potts, I The importance of S-1 stream surface twist in the analysis of inviscid flow through swept linear turbine cascades TUR231
Pouch, J J Adhesion, friction and deformation of ion-beam-deposited boron nitride films TRIii621
Prahl, J M Oil film thickness measurement and analysis for an angular contact ball bearing operating in parched elastohydrodynamic lubrication TRIi81
Prasad, K R Effects of surface roughness and additives in lubrication: generalized Reynolds equation and its application to elastohydrodynamic film C1
Preston, W H An investigation into lubricant related poisoning of automotive three-way catalysts VE305
Price, M E The Fort Dunlop combined heat and power plant IC43
Priestman, G H A study of vortex throttles
Part 1: experimental C331
Part 2: viscid flow analysis C337
Pritchard, D K Testing of flameproof inlet and exhaust systems for diesel engines HA1

Probert, S D Alleviating thermal resistances of thermally distorted pressed contacts C421
Critical influence of distortion on the thermal resistance of a pressed contact C45
Natural-convective heat exchanger with vertical rectangular fins and base: design criteria C365
Profeta, J A III Design study for a high-stability large centrifuge test bed ID63
Pruvost, B Dry bearing wear under variable amplitude oscillating motion TRIi211
Pugh, S Training in advanced engineering design *(discussion)* B211
Pugnet, J-M The applications of dry seals and active magnetic bearings to an oil-free centrifugal compressor FM35

Qian, X A solution to the grease lubricated elastohydrodynamic film thickness in an elliptical rolling contact TRIi97
Qui, C C Microcomputer controlled dynamic engine test bed CET325
Quinn, T F J The thermal aspects of wear in tribotesting TRIi253

Rabinowicz, E Penetration hardness and toughness indicators of wear resistance TRIi197
Radford, R W Diesel locomotives for the future—Canadian requirements DL1
Radhakrishnan, V Three-dimensional geometric analysis of the plunge centreless grinding process C309
Raffailhac, J Near-zero wear in sodium environment with Tribaloy 700 plasma transferred arc coatings TRIii651
Rahman, A A Acoustic finite element approach to pulsation analysis for reciprocating compressor systems FM87
Rahnejat, H Tactile sensors for robot handling B51
Raines, M An energy method for the identification of mechanisms of castor instability with particular application to motorcycles D185
Ramli, M D On the computation of inertial coefficients in squeeze-film bearings C125
Ramsay, A C Finite element or boundary element—an example in three-dimensional solids BEM69
Ramsden, J N Traction experience with a high-speed diesel engine and the way forward DL117
Randle, J N From sidecars to silicon—a history of innovation at Jaguar Cars D155
Rao, Y V N Prediction of the decay process in turbulent swirl flow C279
Rayner, K G Integration of rotating machinery into a process plant FM231
Razak, A M Y Simulation of the transient performance of a compressor in a natural gas pumping station FM105
Razdan, D The development of a diesel engine acceptance test for British Railways DL49
Regan, R The derivation of gear transmission error from pitch error records*(discussion)* C230
Reid, D A Oscillogyro design, manufacture and performance ID17
Reipert, P The design optimization process for a small diesel engine piston CET25
Ren, X S Mating characteristics of contacting pairs for mechanical seals TRIii709
Rendell, F A The design, development and application of Ampep bearings SB39
Reynolds, R D A supplementary fired gas turbine waste heat recovery installation at the Boots Company plc IC19
Rhead, M M Assessing the contribution of lubricating oil to diesel exhaust particulates using geochemical markers VE109
The development of a novel exhaust sampling technique with particular relevance to polycyclic aromatic hydrocarbons VE97
Richmond, J W The quantification and reduction of piston slap noise D235
Righes, G Mechanical and thermal finite element method analysis of the cylinder block of Fiat IDI/TC engine for automotive applications CET47
Rijkeboer, R C The lean-burn option—how does it compare on polynuclear aromatic hydrocarbons and mutagenicity VE89
Riley, N H Development of specialized lubricants for use in critical applications TRIi461
Rizk, M Identification and modelling of some electrohydraulic servo-valve non-linearities C137
Spool hydraulic stiffness and flow force effects in electrohydraulic servo-valves C193
Robbins, K E Small supercritical steam turbines for power generation TUR313
Roberts, B W Metallurgical aspects of turbine component life extension SP205
Roberts, E W The tribology of sputtered molybdenum disulphide films TRIi503
Roberts, J B On the computation of inertial coefficients in squeeze-film bearings C125
Performance of an electromagnetic bearing for the vibration control of a supercritical shaft C201
Roberts, N G The development of Cardiff Rod Mill since 1981 B117
Roberts, T M Ecological effects of nitrogen oxides and hydrocarbons on central European forests VE17
Robertson, N Case studies in life extension of turbine components SP17
The role of welding in the repair or refurbishment of steam turbine plant SP215
Robinson, A N The use of alumina ceramics to prevent erosion of coal-fired power station boiler fans TRIii753
Rodkiewicz, C M Effects of surface roughness and additives in lubrication: generalized Reynolds equation and its application to elastohydrodynamic film C1
Rogers, W N Wear and lubrication of ceramics TRIi555
Roith, O Coming to terms with complexity—mechanical engineering 1986 and beyond B11
Roques-Carmes, C Study of anti-wear properties of zinc dialkyldithiophosphates through sliding-induced electronic emission TRIi531
Rose, B A non-invasive laser-based method in flow visualization and evaluation in bearings TRIi37
Rose, M G Flow in the impeller of a centrifugal water pump with three-dimensional blading TUR81
Ross, J D J Surface hardness of trinickel boride—the effect of indent size disorder and amorphization TRIi179
Rowe, G W Electrochemical lubrication TRIi389
Rowe, W B The effect of multiple supply sources on the performance of heavily loaded pressurized high-speed journal bearings TRIi121
Roylance, B J Further developments in contact temperature determination in four-ball machine operation and the tribological implications TRIi399

Russell, D F Diesel freight locomotives for British Railways DL31
Russell Jones, R The health effects of vehicle emissions VE55
Ruxton, T Monitoring, databases and expert systems in the development of engine fault diagnostics CET293
Ryan, B M Plant life extension project—Hazelwood power station SP261
Rybakova, L M Physical criteria of wear resistance of metal materials in surface-active lubricating media TRIi419
Rymuza, Z The lubrication of miniature polymeric journal bearings TRIii725

Sadek, M A Industrial applications of adhesive bonding *(book review)* C379
Saint-Guirons, H Physical properties of metal soap lubricants: rheology, phase transitions under high pressure TRIi411
Sakai, H Improving diesel vehicles' driveability by a new control technology CET241
Sakakura, K The development of a CADCAM system for engine parts CET1
Sakamoto, M Development of a pre- and post-processing system for the finite element method CET17
Sakamoto, S An advanced engine control system using combustion pressure sensors D55
Saltsman, J G Structural analysis of turbine blades using unified constitutive models CET145
Saluja, G S An anisotropic model for inclined surface solar irradiation C11
Sanda, S The effect of surface roughness on lubrication between a piston ring and a cylinder liner TRIi135
Sasanuma, S A study of rolling friction by a ball rolling pendulum TRIi261
Sasayama, T An advanced engine control system using combustion pressure sensors D55
Satchell, D W Silicon microengineering for accelerometers ID191
Saunders, C D The development of a successful locomotive silencer DL77
Savory, B Adsorption of the anti-wear and friction modifier additive dilinoleic acid on metals—influence of temperature and metal TRIi573
Saxena, S V Improvement of the efficiency of double-suction high-power centrifugal pumps FM193
Sayles, R S A new method for rough surface contact analysis TRIii945
Sayyed, S Centrifugal compression packages for offshore applications FM27
Sbrana, L Coal–water slurry erosion characterization of ceramics and carbon steel TRIi345
Schaschke, E G Nutation frequency analysis ID95
Scheucher, K On-line vehicle simulation and digital control for transient engine conditions CET257
Schmidl, B W C Hydrocarbon speciation in motor vehicle exhaust and its significance for air quality VE177
Schoeneck, K A Comparison of analytical and field experience for a centrifugal compressor using active magnetic bearings FM43
Scholes, A Railway passenger vehicle design loads and structural crashworthiness D201
Scott, G Radio control—a system for the future DL157
Scott, G A The development of a theoretical technique for rail vehicle structural crashworthiness D123
Searles, R A Catalytic exhaust emission control—progress in the application of catalysts in Europe VE281
Sebborn, M J The selection and implementation of CADCAM within automotive component supply companies CC75
Seiffert, U The motor vehicle's contribution towards achieving improvement in air quality VE61
Seki, T A consideration in strength evaluation methodology for diagonally split connecting rod CET39
Sergeant, V Some recent developments in US locomotives DL241
Setford, G A W Optimizing operating conditions of rolling element bearings using SPM SB71
Seto, Y Improving diesel vehicles' driveability by a new control technology CET241
Shackleton, B R Mechanical design considerations for a ring laser gyro dither mechanism ID105
Shah, K M The adsorption of tribochemical reaction products at solid surfaces TRIi379
Shammas, M S Remanent life assessment of ferritic weld heat affected zones by a metallographic measurement of cavitation damage—the 'A' parameter SP289
Shao, H S Investigation on wear mechanism of scraper conveyer middle trough TRIii903
Sharma, R Effects of surface roughness and additives in lubrication: generalized Reynolds equation and its application to elastohydrodynamic film C1
Sharp, R S Operating principles of a two-axis angular rate transducer ID89
Performance and design considerations for dissipative semi-active suspension systems for automobiles D149
Sheldon, D F Manufacturing Industries Development Association in Surrey—the small company way for computer aided engineering? CC41
Training in advanced engineering design *(discussion)* B210
Sheng, H-Z Numerical simulation and digital signal processing in measurements of cylinder pressure of internal combustion engines CET211
Shenton, A T Computer integration of geometric modelling and engineering design systems by rule based programming CC57
Sheppard, J Active magnetic bearings *(discussion)* SB38
Sher, E Design considerations of an airborne free piston compressor D177
Sherrington, I Parameters for characterizing the surface topography of engineering components C297
Shi, S-X Numerical simulation and digital signal processing in measurements of cylinder pressure of internal combustion engines CET211
Shi, X W The finite element and boundary element methods in gas lubrication TRIi53
Shigemi, M Boundary layer transition on a concave surface TUR223
Shimizu, S The development of a CADCAM system for engine parts CET1
Shimoyamada, K The application of a combined transfer matrix and finite element method to the estimation of vibration stresses of a reciprocating engine crankshaft CET79
Shirakawa, S Simulation of spray combustion in an axisymmetric small direct injection diesel engine CET191
Shobu, K Friction and wear of TiN+TiB_2, Ti(C, N) +TiB_2 ceramics TRIii615
Shore, A G L British Rail diesel multiple unit replacement programme D115
Shore, P R Assessing the contribution of lubricating oil to diesel exhaust particulates using geochemical markers VE109

Shorter, R J The Ford European computerized engine test facility CET249
Shotter, B A Tribology of high-conformity gears TRIii819
Shou, H Empirical validation of a predictive model for the friction coefficients of coated surfaces TRIii657
Shunmugam, M S Three-dimensional geometric analysis of the plunge centreless grinding process C309
Sieverding, C H Comparison of two explicit Euler solvers with a hybrid approach to calculate transonic cascade flows with embedded shocks TUR323
Simms, G J A triaxial laser gyro ID101
Sinel, P D Plant life extension project—Hazelwood power station SP261
Sinha, P Effects of surface roughness and additives in lubrication: generalized Reynolds equation and its application to elastohydrodynamic film C1
Sinha, P K Dynamics and control of a gyroscopic force measuring system ID137
Sinha, S K The rail traction RK270 engine for the next generation of locomotives DL89
Skillings, S A A study of supercritical heat addition as a potential loss mechanism in condensing steam turbines TUR125
Sliggers, C J Air pollution by road traffic in the Netherlands—definition and abatement VE119
Smith, D G Training in advanced engineering design *(discussion)* B211
Smith, D J Predicting creep failure in high-temperature cracked welded components containing residual stresses HT41
Smith, E H Parameters for characterizing the surface topography of engineering components C297
Smith, G A The braking package DL147
Smith, J D Gear transmission error accuracy with small rotary encoders C133
Smith, M J S The packaging and transport of radioactive waste RW19
Smith, P J CADCAM data exchange—what it is and how to make it happen CC135
Smith, S Computer integrated manufacturing: a case study in the development of thermoplastic seals B107
Smith, T W A practical approach to the design of axial and mixed flow fans IF7
Smith, V A Gas turbine generator set and waste heat boiler in combined cycle IC31
Smithson, T G A review of the mechanical design and development of a high-performance accelerometer ID175
Snidle, R W Elastohydrodynamic lubrication of circumferentially finished rollers having sinusoidal roughness C29
Tribology of high-conformity gears TRIii819
Someya, T The effect of surface roughness on lubrication between a piston ring and a cylinder liner TRIi135
Spalding, I Modern laser applications B165
Sparkes, G M The implications of corrosion pitting for the refurbishment of low-pressure turbine rotor shafts SP315
Spence, J Developments in methods of inelastic piping analysis A105
Spicer, C J Advances in high-speed phosphor printing B85
Spikes, H A The formation of thick films by phosphorus-based anti-wear additives TRIi543
Srivastav, P D A test technique for the evaluation of grinding fluids TRIi517
Stainsby, J A Tribological characterization of some second generation ceramic coatings deposited by ionization assisted physical vapour deposition TRIii637
Stanojevic, M The engine bearing—fifty years on TRIii771
Stansfeld, J T Monitoring, databases and expert systems in the development of engine fault diagnostics CET293
Stanway, R Estimation of the linearized damping of coefficients of a squeeze-film vibration isolator C181
Steel, J Computer integrated manufacturing: a case study in the development of thermoplastic seals B107
Steen, M Prediction of creep deformation and rupture by short-term constant strain rate tests SP301
Stein-Brzozowska, W Thermoelastic effects in partial elastohydrodynamic contacts TRIi105
Stevens, K T Physical vapour deposition coatings—their properties and potential applications TRIii629
Stevenson, K J Identification of traffic related monitoring stations for the implementation of the European Community NO_2 Directive in the United Kingdom VE31
Stolarski, T A The friction of polymers during non-linear sliding TRIi193
Stone, C R Comparison of methods for the calculation of mass fraction burnt from engine pressure–time diagrams D61
Strachan, E Tackling the barriers to the effective implementation of CADCAM—one company's experience CC81
Strang, A Metallurgical aspects of turbine component life extension SP205
Strange, R C The public needs to know RW45
Strauf, E Investigation of wet steam flow in turbines TUR135
Strub, R A Science, technology and beyond FM1
Struck, V A On the corrosion-mechanical concept of wear for tribological metal–polymer systems TRIi339
Subramanya Udopa, N G Three-dimensional geometric analysis of the plunge centreless grinding process C309
Suda, S An advanced engine control system using combustion pressure sensors D55
Suliman, S M A Product selection and investment appraisal for flexible assembly B35
Sullivan, J L The role of oxides in the protection of tribological surfaces, Part 1: TRIi283, Part 2: TRIi293
Summerfield, A J The role of welding in the repair or refurbishment of steam turbine plant SP215
Suzuki, S An advanced engine control system using combustion pressure sensors D55
Svoboda, O Improved boiler feed pump availability by retrofitting SP193
Swain, E E High-performance turbochargers for rail traction diesel engines DL125
Swain, R E J A two degree of freedom gyroscope with frictionless inner and outer gimbal pick-offs ID9
Swann, N R W Identification of traffic related monitoring stations for the implementation of the European Community NO_2 Directive in the United Kingdom VE31
Swanson, K M Fuel and core material performance in the prototype fast reactor A241
Symmons, G R Implementation of a cavitation algorithm into a procedure for the prediction of non-Newtonian flow in hydrodynamic journal bearings C449
Sze, W S An octree approach to rough machining B157

Tabor, D Friction and wear—developments over the last fifty years TRIi157

Takadoum, J Surface hardness of trinickel boride—the effect of indent size disorder and amorphization TRIi179
Takagi, Y Gas exchange simulation model for improving charging efficiency of four-valve internal combustion engine CET123
Takeyama, S Gas exchange simulation model for improving charging efficiency of four-valve internal combustion engine CET123
Tan, S T An octree approach to rough machining B157
Tanaka, K Influence of counterface roughness on the friction and wear of polytetrafluorethylene- and polyacetal-based composites TRIi219
Tanaka, S Friction coefficients between contacting teeth at start of running TRIii845
Taniguchi, H The development of a CADCAM system for engine parts CET1
Tanoue, H Secondary seal effects in hydrostatic non-contact seals for reactor coolant pump shaft TRIii733
Tarnok, K Tribology at Budapest Transport Company TRIii781
Taylor, C M The estimation of minimum film thickness in the design of concentrated contacts TRIii807
Taylor, G Testing of flameproof inlet and exhaust systems for diesel engines HA1
Taylor, G T The investigation of the behaviour of a centrifugal pump diffuser under axial compression FM169
Teixeira, D P Small supercritical steam turbines for power generation TUR313
Thain, I A Life management of the Wairakei geothermal power resource and its steam plant SP271
Thom, D Experience of prototype fast reactor fuel reprocessing A249
Thompson, G Maintainability aspects of process plant pipe joints A69
Thomson, R A Experience with the deterioration of aluminium brass condenser tubes and the use of alternative materials SP173
Thorpe, T E An energy method for the identification of mechanisms of castor instability with particular application to motorcycles D185
Timmis, R J Identification of traffic related monitoring stations for the implementation of the European Community NO_2 Directive in the United Kingdom VE31
Todd, M J Spin division and estimation of Coulomb torque in angular contact ball bearings TRIii933
Todorovic, J Modelling of the tribological properties of friction materials used in motor vehicles brakes TRIii911
Tolley, D L Commercial arrangements for co-generation in the UK and USA A259
Tong, M Structural analysis of turbine blades using unified constitutive models CET145
Torrance, A A The correlation of the characteristics of rough surfaces with their friction coefficients C321
Touchton, G L Small supercritical steam turbines for power generation TUR313
Townsend, R D Procedures used by Central Electricity Generating Board for component life assessment SP223
Tran, M H Recent developments to improve high-pressure and intermediate-pressure turbine efficiency TUR287
Trier, C J Assessing the contribution of lubricating oil to diesel exhaust particulates using geochemical markers VE109
The development of a novel exhaust sampling technique with particular relevance to polycyclic aromatic hydrocarbons VE97
Trinder, M C J Active control of diesel locomotive exhaust noise DL85
Tripp, J H Dry and lubricated contact of rough surfaces TRIi71
Tsuya, Y Friction and wear of $TiN+TiB_2$, $Ti(C, N)+TiB_2$ ceramics TRIii615
Tuncer, C Surface stress measurements using conical oblique pins on a forging die mandrel B239
Turanskyj, L Recent developments to increase operating efficiencies and performance of industrial axial-flow compressors TUR261
Turner, C E The behaviour of short fatigue cracks *(book review)* C234
Turner, F Managing the supply chain B251
Tutko, D M The future for diesel locomotives in the United States DL25
Tyrrell, R J Analysis of combustion chamber components using finite element analysis CET31

Umeda, K Friction and wear of $TiN+TiB_2$, $Ti(C, N)+TiB_2$ ceramics TRIii615
Unsworth, A Soft layer lubrication of artificial hip joints TRIii715
Uppington, D C A computer system for aerodynamic and thermal design of turbines CET151
Usher, J Case studies in life extension of turbine components SP17

Valli, J Tribological characterization of some second generation ceramic coatings deposited by ionization assisted physical vapour deposition TRIii637
Vamos, E Derivatography of aluminium-base lubricating greases TRIi455
van Beckhoven, L C Air pollution by road traffic in the Netherlands—definition and abatement VE119
The lean-burn option—how does it compare on polynuclear aromatic hydrocarbons and mutagenicity VE89
van Liere, J Residual lifetime of 14MoV63 reheat lines after repair by welding SP249
van Vulpen, R Residual lifetime of 14MoV63 reheat lines after repair by welding SP249
Vardy, A E Compressible and leaky trains in tunnels D209
Vermeulen, M Pressure cut-off behaviour of a hybrid slot entry pivoting pad TRIi129
Vickerstaff, T Training in advanced engineering design *(discussion)* B210
Virgin, L N Free vibrations of imperfect cantilever bars under self-weight loading C345
Vogwell, J The use of component database systems for automatic component selection CC69
Voss, H Recent developments to increase operating efficiencies and performance of industrial axial-flow compressors TUR261
Voss, M Diesel traction on the German Federal Railway DL17

Waddicor, A H Computer aided engineering/manufacturing in Rolls-Royce CET307
Wakabayashi, K The application of a combined transfer matrix and finite element method to the estimation of vibration stresses of a reciprocating engine crankshaft CET79

Walker, W Locomotive requirements for a heavy haul railway DL7
Wallace, S The control of CO, HC and NO_x emissions and the applications of lean-burn engines VE205
Walsh, J A The effect of inlet skew on the secondary flows and losses in a turbine cascade TUR15
Walsh, M P Motor vehicle air pollution control in Europe—a problem still not solved VE151
Walters, P T A study of supercritical heat addition as a potential loss mechanism in condensing steam turbines TUR125
Walton, J H A computer system for aerodynamic and thermal design of turbines CET151
Wan, G T Y Lubricant starvation in elastohydrodynamic elliptical contacts TRIi91
Wang, J-G Partial elastohydrodynamic lubrication of rough rollers TRIi111
Warburton, A The control of CO, HC and NO_x emissions and the applications of lean-burn engines VE205
Wareing, J Creep/fatigue crack growth in Type 316 stainless steel HT59
Waring, J R The wear of railway disc brake pads TRIii887
Waris, F A test technique for the evaluation of grinding fluids TRIi517
Warner, P C Bringing combined heat and power/district heating to two UK cities A187
Warner, R E Recent developments to improve high-pressure and intermediate-pressure turbine efficiency TUR287
Wasdell, D L Off-design prediction of compressor blade losses TUR249
Watanabe, T Friction and wear of $TiN+TiB_2$, $Ti(C, N)+TiB_2$ ceramics TRIii615
Waterhouse, R B The fretting wear of certain hard coatings including TiN applied to a 0.4C steel TRIi303
Watkins, A P Three-dimensional diesel engine spray modelling CET199
Watson, N Computers in diesel engine turbocharging system design CET269
Way, G H Research and test programme for enhancing the efficiency, productivity and reliability of rail motive power DL57
Weatherson, J Case studies in life extension of turbine components SP17
Webster, G A Interaction of creep and fatigue damage in gas turbine blade material HT25
Modelling of crack creep growth in virgin and service exposed material HT1
Webster, M N A new method for rough surface contact analysis TRIii945
Weir, C D Estimating the performance of gas turbine heat recovery boilers off-design IC55
Weis, W Bulk inert gas generation—a practical solution to enhance oil recovery in the North Sea FM5
Welbourn, D B Introducing CADCAM into a nineteen-man German patternshop CC21
Wellburn, J Oscillogyro design, manufacture and performance ID17
Wells, C S The design supervisor—a changing role with CAD? CC27
Wells, K E An advanced integrated manufacturing system for turbine and compressor discs B129
West, M A A new method for rough surface contact analysis TRIii945
Whattam, M The rail traction RK270 engine for the next generation of locomotives DL89
Wheeler, P A Adsorption of the anti-wear and friction modifier additive dilinoleic acid on metals—influence of temperature and metal TRIi573
Wheeler, R L Hovercraft skirt design and manufacture B79
White, E F T Soft layer lubrication of artificial hip joints TRIii715
White, G Soft layer lubrication of artificial hip joints TRIii715
White, G P Bringing combined heat and power/district heating to two UK cities A187
Whitelaw, J H Fluid mechanics of internal combustion engines—a review C57
Wilkins, A J J Catalytic exhaust emission control—progress in the application of catalysts in Europe VE281
Williams, D F Product selection and investment appraisal for flexible assembly B35
Williams, H D The Central Electricity Generating Board approach to the determination of the remanent life of high-temperature turbine rotors SP45
Williams, J A Abrasive wear of lubricated contacts TRIi183
Groove formation and interaction during abrasion of copper RIi239
Williams, J A The assessment of remanent creep life estimation using full size component tests SP237
Williams, M L Hydrocarbon speciation in motor vehicle exhaust and its significance for air quality VE177
Identification of traffic related monitoring stations for the implementation of the European Community NO_2 Directive in the United Kingdom VE31
Relating vehicle emission regulations to air quality VE163
Williams, P A Mixed and micro-elastohydrodynamic lubrication and the dependence on operating conditions TRIi61
Williams, P D Implementation of a cavitation algorithm into a procedure for the prediction of non-Newtonian flow in hydrodynamic journal bearings C449
Williamson, J An investigation into lubricant related poisoning of automotive three-way catalysts VE305
Willis, G D Laser doppler anemometer measurements and flow predictions in a turbine nozzle cascade TUR211
Wilson, C A Review of pressure parts refurbishment and repair with particular reference to reheater outlet header antler tube replacement at Cockenzie power station SP323
Wilson, D G New guidelines for the preliminary design and performance prediction of axial-flow turbines A279
Wilson, G The design of a mixed flow fan of simple blade geometry IF27
Wilson, J M Formulation and solution of a set of sequencing problems for flexible manufacturing systems B247
Wilson, J T Review of pressure parts refurbishment and repair with particular reference to reheater outlet header antler tube replacement at Cockenzie power station SP323
Wilson, R M The use of d.c. separately excited motors to improve the utilization of adhesion on diesel-electric locomotives DL201
Wilson, R R Design improvements to air preheaters and fans as part of a power station refurbishment and life extension programme SP131

Wilson, W H Why so many bearing materials? SB19
Winckler, J Specific problems of sampling and measuring diesel exhaust emissions VE335
Winer, W O The influence of ambient pressure on the apparent shear thinning of liquid lubricants—an overlooked phenomena TRIi395
Winn, K R High-performance turbochargers for rail traction diesel engines DL125
Winterbone, D E Chairman's introduction CETi
Wise, S Railway wheelsets—a critical review D257
Wisniewski, M Thermoelastic effects in partial elastohydrodynamic contacts TRIi105
Witt, D C The electrostatically suspended gyroscope—a review of mechanical design aspects ID37
Wong, W Problems in the application of gas turbines for co-generation FM225
Wong, W Y An octree approach to rough machining B157
Wood, B R Acoustic finite element approach to pulsation analysis for reciprocating compressor systems FM87
Wood, D M Critical state soil mechanics via finite elements *(book review)* C308
Wood, R A E Rolling bearings—load ratings and life SB51
Woodhall, M C Interaction of creep and fatigue damage in gas turbine blade material HT25
Woodhouse, J New business selection for a subcontracting company—a case study B233
Woods, P T Identification of traffic related monitoring stations for the implementation of the European Community NO_2 Directive in the United Kingdom VE31
Woods, R Training in advanced engineering design *(discussion)* B212
Woods, W A Tracing the sources of hydrocarbon emission in engines—a review of several research programmes made over the past five years VE229
Woolford, B V Conformity of production testing VE349
Woolheater, C J Design study for a high-stability large centrifuge test bed ID63
Wren, T Plane stress vibrations in rotating discs C37
Wride, C H The measurement of wear damage C251
Wright, C C Reduction and analysis of combustion data using linear and non-linear regression techniques CET219
Wright, G J Tribology in Anglo-American Corporation, South Africa TRIii793
Wu, X-Q Study of high-temperature high-friction coefficient material, Part 1: Three kinds of resin TRIi247
Wylde, C E The development of Cardiff Rod Mill since 1981 B117
Wynne, J B Aero engine dynamics CET95
Wyssmann, H Design, testing and commissioning of the reinjection centrifugal compressors for the Alrar gas treatment plant FM67

Xans, P Physical properties of metal soap lubricants: rheology, phase transitions under high pressure TRIi411
Xie, Y-B A model of linear regression used to describe tribological condition ferrography analysis TRIii897
Xu, L Base pressure measurements on a model of a turbine blade trailing edge TUR167
Xu, L-X A study on stability of tilting-pad bearing–rotor systems TRIii739

Yabe, H A study of rolling friction by a ball rolling pendulum TRIi261
Yamada, Y Influence of counterface roughness on the friction and wear of polytetrafluorethylene- and polyacetal-based composites TRIi219
Yamamoto, A A consideration in strength evaluation methodology for diagonally split connecting rod CET39
Yamamoto, T The effect of grain size on the wear behaviour of Mn–Zn ferrite TRIii671
Yanada, H Study of the trapping of fluid in a gear pump A39
Yang, Z A solution to the grease lubricated elastohydrodynamic film thickness in an elliptical rolling contact TRIi97
Yang, Z Y Wear status and researches in tribology in coal mines of China TRIii787
Yates, D A Hydrocarbon sampling from the combustion chamber of a lean-burn engine VE221
Yates, M D Training in advanced engineering design *(discussion)* B211
Yedidiah, S A correlation between aerofoil theory and Euler's equation for calculating the head of a constant-pitch axial-flow inducer C357
Yeung, S K Gyro testing and evaluation at the Communications Research Centre ID167
Yonezawa, T The application of a combined transfer matrix and finite element method to the estimation of vibration stresses of a reciprocating engine crankshaft CET79
Yoshikawa, Y Gas exchange simulation model for improving charging efficiency of four-valve internal combustion engine CET123
Yoshino, H On wear and failure of W–N gear pairs with steel pinion and plastic-wheel TRIii839
Young, H T Allowing for nose radius effects in predicting the chip flow direction and cutting forces in bar turning C213
Young, J The use of d.c. separately excited motors to improve the utilization of adhesion on diesel-electric locomotives DL201
Younger, A The behaviour of the ball–hole interface in the ballizing process TRIii759
Yu, L A study on stability of tilting-pad bearing-rotor systems TRIii739
Yuan, F B Microcomputer controlled dynamic engine test bed CET325
Yuen, M F An octree approach to rough machining B157
Yun, J S Steady state characteristics of a flapper-nozzle relief valve A135

Zaretsky, E V Effects of surface removal on rolling-element fatigue TRIii829
Zechel, R Experimental determination of pressure viscosity data TRIi483
Zhang, B A model of linear regression used to describe tribological condition ferrography analysis TRIii897
Zhang, P-S Partial elastohydrodynamic lubrication of rough rollers TRIi111
Zhang, Y-M Study of high-temperature high-friction coefficient material, Part 1: Three kinds of resin TRIi247
Zhu, J A study on stability of tilting-pad bearing–rotor systems TRIii739
Zlotykamien, H Active magnetic bearings SB31
Zu, D T The friction and wear characteristics of polymer anti-friction coating and their application to the machine tool industry in China TRIii747
Zuo, X T Mating characteristics of contacting pairs for mechanical seals TRIii709

Subject Index

ABAQUS program A112, A116, A119
Abrasion, chromium steels TRIii595
Abrasion factor
  cobalt-base hardfacing couples TRIii654
  Tribaloy-700 TRIii654
Abrasion resistance, TiN TRIii630
Abrasion resistant alloys TRIii603
Accelerometers
  basic principles of ID175
  design evolution ID178
  environmental motion effects ID176
  future developments ID180
  mechanical design and development ID175
  open-loop ID191
  pendulous force feedback ID175
  performance parameters ID177
  silicon microengineering ID191
  specification ID178, ID180
Accidents, railway passenger vehicle D203
Accreditation, higher education courses B17
Acids, effect in engine oils TRIi558
Acoustic finite element analysis, reciprocating compressor systems FM87
Acoustics
  ducts *(book review)* C457
  exhaust systems *(book review)* C457
  mufflers *(book review)* C457
  silencers *(book review)* C457
  ventilation systems *(book review)* C457
Adaptive algorithm variable dead-band B186
Adaptive control
  manipulators C403
  systematic model reference design scheme B175, B181
Additives TRIi368
  anti-friction TRIii783
  anti-oxidant TRIi555
  anti-wear TRIi531, TRIi543, TRIi555, TRIi573
  effects in lubrication C1
  extreme-pressure TRIii845
  friction modifier TRIi573
  lubricants TRIi382
  phosphate esters TRIi361
  phosphorus-based TRi360, TRIi543
  sulphur TRIi359
  triaryl phosphates TRIi360
  ZDDP TRIi361
Adherence
  kinetics of TRIi228
  of rubbers TRIi227
Adhesion
  boron nitride films TRIii621
  polymer–polymer bearings TRIii725
  steel–polymer bearings TRIii725
Adhesive bonding
  aluminium alloys D131
  Fokker bond tester B41
  industrial applications *(book review)* C379
ADINA program A113
ADINA-P program A113
Adsorption
  dilinoleic acid TRIi573
  fatty acids TRIi573
  tribochemical reaction products TRIi379
Advanced integrated manufacturing systems (AIMS) B129
Advanced manufacturing technology (AMT), supplier chain in B251
Aerodynamic analysis, gas turbines CET151
Aerodynamic drag
  characteristics of D91
  methods of reducing TE33
Aerodynamic flows *(book review)* C233
Aerodynamics
  fan design IF1, IF7
    computer techniques IF21
  gas turbine aerofoil rows CET87
  limit steady state vehicle handling D287
  locomotives DL63
  turbocharged design DL126
Aerofoil rows. *See* under Gas turbines
Aerofoil theory
  constant-pitch axial-flow inducers C357
  impeller blades C357
Agricultural vehicles, AP suspension D5
Air extraction plant SP156
  improvements to SP161
Air filtration, wear improvement by TRIii782
Air pollution
  effect on forests VE20
  in Europe VE151
  in Netherlands VE119
Air preheaters
  design improvements to SP131
  life expectancy SP135
Air quality
  and exhaust emission regulations VE163
  effects on human health VE61
  hydrocarbon speciation significance for VE177
  improvement in VE61
  in traffic situations VE120
  standards and guidelines VE120
Aircraft
  Concorde airliner B125
  HOTOL project B126
Aircraft engines, gas turbine. *See* Gas turbines; Jet engines
Aldehyde emissions, test procedures VE283
Alrar field, gas treatment plant FM67
Alumina, ceramics TRIii753
Aluminium
  friction factor in upsetting TRIi512
  greases TRIi455
Aluminium alloys
  adhesive bonding D131
  vehicle body structures D129
Aluminium brass condenser tubes SP173
Aluminium torispheres C376
Anglo-American Corporation, tribology TRIii793
Animal uptake, monitoring C23
ANSYS program BEM35
Artificial hip joints, lubrication of TRIii715
ASAS program BEM69
Ash handling plant, refurbishment and life extension of SP121
Asperities
  contact mechanics TRIii1003
  deformation model TRIii957
Attemperators, creep life SP324
Attitude control, spacecraft C97
Austenitic steels, steam turbines TUR315
Autocorrelation analysis, surface topography C303
Automatic sorting machine (ASM) B141
Automation, hot strip mill A235
Automobile industry
  control systems B23
  maintenance B21
Axial-flow turbines. *See* Gas turbines
Axisymmetric elasticity problems BEM3
Axles, railway wheelsets D268

Babbitts metal TRIii773
Balancing
  automatic B25
  modal, of flexible rotors C349
Balancing head, design and manual operation of C349
Ball rolling pendulum TRIi261
Ballizing
  ball–hole interface TRIii759
  bow wave phenomena TRIii761
  dimensional variables affecting pushing force TRIii759
  lubricant degradation in TRIii761
  mechanism of TRIii763
Bar turning
  chip flow direction C213
  cutting forces in C213
Batch processing, CADCAM CET307
Beams, thin, static analysis BEM9
Bearings
  active magnetic FM30, SB31, FM35, FM43
    advantages of SB33
    applications of SB35
    principle of operation SB31
  Ampep Fiberglide SB41
  Ampep Fiberslip
    applications SB47
    characteristics of SB41
    development SB45
    frictional properties SB42
    material SB39
    space applications SB44
    wear characteristics SB42
  ball
    angular contact TRIi81, TRIii933
    ceramic balls TRIii851
    friction problems TRIii871

minimum load to prevent gross skidding TRIii853
operating range TRIii851
sealing washers TRIii871
sliding speed TRIii853
spin/rolling resistance TRIii933
carbon graphite SB27
cavitation C88, TRIi123
ceramics SB27
connecting rod TRIii701
copper alloys SB21
design features TRIii774
dry, wear under variable amplitude oscillating motion TRIi211
effect of multiple supply sources TRIi121
electromagnetic C201
elliptical rolling contact TRIi97
externally pressurized TRIi53
flange-mounted SP194
flow visualization TRIi37
foil, abrasive wear TRIi183
gas-lubricated ID45
heavily loaded pressurized high-speed journal TRIi121
hybrid performance TRIi123
hydrodynamic TRIi47
hydrodynamic journal C449
hydrostatic performance TRIi123
identification, oil film bearings C181
internal combustion engine TRIii771
journal TRIi121
lubricant influence TRIi493
materials TRIii589
polymer–polymer TRIii725
steel–polymer TRIii725
lubrication SB71
materials TRIii773
applications SB28
selection guide SB19
selection in design SB29
metals SB21
naturally occurring materials SB21
oil film, damping coefficients C181
oil-impregnated moulded porous metal SB27
plastics SB25, SB29
porous bronze SB27
precision ball ID53
profile bore TRIi145
rolling
calculation procedures SB2, SB3, SB5
ceramic insulating layers TRIii861
computer programs SB6
electric current effects TRIii859
electric installations TRIii859
electrically insulated TRIii860
importance criterion SB1
ISO 281/1:1977 SB60
ISO R281 SB54
life adjustment factor
for bearing material SB57
for operating conditions SB58
for reliability SB55
life rating SB53
load–life rating formulae SB52
load ratings and life calculations SB51
new selection methods SB1
oil film thickness in TRIi75
optimizing operating conditions SB71
standard revision SB63
steel quality monitoring and assessment SB65
rolling contact fatigue SB65
rolling contact materials TRIii590
rolling element TRIii829
sliding
failure mechanisms TRIii883
wear modes TRIii883
slot entry pivoting pad TRIi129
special alloys TRIii 583
spin axis ID53
squeeze-film C88, C125
theoretical developments TRIii771
tilting-pad C87
tilting-pad rotor TRIii739
turbochargers SB28
water pumps SB28
white metal SB21
BEASY program BEM4, BEM69
Belfast, combined heat and power/district heating (CHP/DH) A187
Bending stresses
combined torsional and CET81
gear teeth TRIii839
Bentley K range two-stroke multi-fuel engine D168
Bentley Mulsanne Turbo D168
Bentley Turbo R motor car D167
Benzpyrenes, monitoring of emissions C22
BERSAFE program BEM69
Biology, significant steps in evolution of FM2
Blow moulding, thermoplastic polyurethanes TE13
Bogies
design philosophy DL193
diesel-electric locomotives DL193
diesel locomotive DL177
Boiler feedwater heaters, refurbishment SP219
Boiler feedwater pumps. *See* Pumps
Boilers
chain-grate IC43
coal-fired IC2, IC4, IC8, IC9, IC21
cogeneration problems FM225
extension of SP9
flexible design system SP113
gas turbine heat recovery performance off-design IC55
improved design techniques SP101
modular windboxes SP102
noise investigations FM227
performance improvements SP109
reburnering SP102
refurbishment SP9, SP99
refurbishment of pressure parts SP323
reliability improvements SP109
remanent life assessment SP99
spray attemperation systems SP114
spray-water systems SP114
tube failures SP265
tube materials, fretting wear tests TRIi321
waste heat IC21, IC31, IC55
water-tube IC2, IC85
waterwall tube replacement SP265
Bolted flanges, maintenance practice A69
Bolted joints
high-temperature SP32
see also Flange joints
Bolts, split head A73
Boots Company plc, combined heat and power (CHP) plant IC19
Boron modified bisphenol-A type phenolic resin TRIi247
Boron nitride films, ion-beam deposition TRIii621
BOSOR 5 shell buckling program C259, C375
Boundary conditions, definition of CET33
Boundary element method (BEM)
comparison with finite element method BEM63, BEM69
computer packages BEM4
contact mechanics TRIii975
development of BEM2
domain-type loading BEM4
elastically supported thin plates BEM35
future development BEM4
gas lubrication TRIi53
modelling short cracks BEM93
problems associated with use of BEM4
problems with edges and corners BEM4, BEM49
range of application BEM3
review of TRIii975
state-of-the-art review BEM1
static analysis of thin beams BEM9
stress analysis with domain-type loading BEM15
three-dimensional axisymmetric problems of elasticity BEM61
three-dimensional solids BEM69
two-dimensional plate analysis BEM41
Boundary integral equation (BIE) BEM2, BEM15
Boundary layers, transition on concave surface TUR223
Boundary value problems (BVP) BEM1
BP, ventures, companies and activities of B147
Brake pads, wear of TRIii887
Brake pressure apportioning valves D193
Brake shoes
cast iron D11
friction coefficients D15
medium friction non-metallic composite D11
specifications D17
Braking systems
compressors DL147

control systems DL150
diesel locomotives DL147
driver safety and vigilance systems DL151
dynamic DL149
friction DL149
friction materials TRIii911
low-cost anti-lock D198
Braking tests, rolling stock D16
Bridge building, Strait of Gibraltar B73
British Aerospace B123
British Nuclear Fuels plc (BNFL) A1
British Rail, programme of development and change D245
British Steel Corporation, hot strip mill at Port Talbot Works A223
Brown Brothers and Company Limited, CADCAM CC81
Buckling
internally pressurized cylinder–bulkhead combinations C259
plastic, of hemispherical shells C153
shallow dished ends under external pressure C373
Budapest Transport Company, tribology TRIii781
Bulk inert gas generation (BIGG) process FM5
ancillary equipment FM8
compression/expansion FM7
compressor equipment FM7
electronic control FM9
inshore module running test FM9
machine train configuration FM7
machinery requirement FM6
machinery selection criteria FM7
plant description FM6
pre-assembly, testing and transportation FM9
protection equipment FM9
semi-submersible FM9
unit performance FM10
Burners
axial-swirl SP102
low NO_x axial-swirl SP103
low-load SP103
overhaul or replacement of SP102
Business match
examples of B193
product development B192
Business opportunities selection, subcontractors B233
Butane fuels A130

CAD
analysis development CC114
and finite element method CET17
applications perspective CC49
archiving procedures CC39
authorizing output CC32
commercial factors CC9
conceptualization CC49
case studies CC51
current developments CC115
current vendor attitudes CC10
databases CET7
feasibility studies CC29
future development CC40
hardware CC8, CC38
historical trends CC8
implementation CC37
information needs CC14
man–machine interface CC17
management implications CC37
operation procedure for draughting CC113
piston design optimization CET25
planning and introduction CC113
planning and monitoring conversion process CC30
problems involved in CC13
product design CC49
progress towards integration CC9
progress towards standard platforms CC9
reporting to management CC32
role of section leader CC27, CC29, CC32
software CC8, CC38, CC40
system integration CC7
systems management CC39
three-dimensional system CET19
training CC39
TRW Cam Gears CC113
two-dimensional system CET18
CADCAM
applications of B65
automotive component supply companies CC75
batch processing CET307
case studies CC1
communications between systems CC76
customization CC87
data exchange CC135
current experience CC137
future developments CC137
problems of CC135, CC137, CC143, CC144
standards CC135, CC141
databases CET309
demonstrator projects CC106
development requirements CET1
engine design CET3
engine parts CET1
experience users CC4
future of B71, CC107
hardware CC81, CET310
history CC75
implementation CC75, CC81, CC83, CC84
issues to be resolved CC107
linking systems CC89
organizational barriers CC81
pattern-making CC21
pre- and post-processing CET310
present situation CC13
problems CC77, CC105
product quality CC4
productive or counterproductive CC1
programming environment CC89
questionnaires on CC2
Rolls-Royce plc CC103, CET307
selection CC75
shipbuilding B64, B69
software CC81, CET312
sources of information CC2
success or failure CC2, CC3
system integration CC7
system interfaces CC89
system requirements CC89
systems studied CC1
technical barriers CC82
technologies in use CC2
user facts CC3
user views CC3
value judgements CC4
vendors' views CC3
CADETT system CET1
CAE CC37
benchmark tests CC96
cost benefits CC121
data collection CC41
Dunlop Aviation Division CC91
existing systems CC94
implementation planning CC97
integrated approach to CC91
justification CC96
lead times CC93
learning curves CC93
operational experience CC97
organizational change CC93
pilot projects CC98
process plant CC121
requirements specification CC94
selection of new system CC94
small companies CC41
strategy study CC92
Calcium stearate
phase transitions of TRIi412
phase transitions under high pressure TRIi413
rheology of TRIi412
Cam followers, pitting TRIi523
Cam–tappet system, electromotive force TRIi531
Cams
multi-lobe B101
pitting TRIi523
Camshafts, torsional vibration CET58
Cantilever bars, vibration under self-weight loading C345
Carbon dioxide
fire extinguishant D222
impact wear and oxidation in TRIi329
Carbon–manganese steel pressure vessel HT38
Carbon monoxide
control methods VE209
dispersion near motorway VE131
environmental problem VE152
health effects VE61
Carbon steels, coal–water slurry erosion TRIi345
Carbonating towers, radioactive effluent treatment A8
Carburetters, gas flow modelling CET132, CET134
Cardiff Rod Mill B117
Cashew oil modified phenolic resin TRIi247
CASOC project CC70
Cast iron
brake shoes D11

polymer coatings TRIii747
Castor instabilities in motorcycle design D185
Catalyst systems
deactivation modes VE296
European applications VE295
problems with use of VE359
retrofitting of VE358
technical developments in VE281
three-way catalysts VE296
lubricant related poisoning VE305
under extreme operation conditions VE275
Catalytic converters VE64, VE74, VE121
Cavitation
algorithm for non-Newtonian flow in journal bearings C449
in bearings C88, TRIi123
influence on radial thrust A171
oscillating squeeze films TRIi29
see also Creep cavitation damage
Cavitation erosion
chromium steels TRIii595
impellers SP183
CEASEMT/CASTEM program A113
Cellulose hydrolysis, problems of C117
Cellulosic wastes, acid hydrolysis C117
Central Electricity Generating Board (CEGB)
component life assessment procedures SP223
rotor life determination SP45
steam turbine efficiency improvement programme SP71
Centrifuges
balance compensated ratio methods ID159
balance compensation error analysis ID161
error sources ID157
G-stability ID63
high-precision test ID157
multiple acceleration references ID157
ratio method ID158
system calibration ID163
test bed design ID63
Ceramics
advanced tribological TRIii587
alumina TRIii753
ball bearings TRIii851
bearing materials SB27
coal–water slurry erosion TRIi345
coatings DL62, TRIii637
cutting tools TRIii666
friction TRIi161, TRIi555
insulating layers for bearings TRIii861
lubrication TRIi555
physical vapour deposition TRIii629
sprayed coatings TRIii861
titanium-based TRIii615
wear TRIi165, TRIi555
Cermets, coal–water slurry erosion TRIi345
Chemical plants
energy losses in EM221
China, mining industry TRIii787
Chip flow direction in bar turning C213
Chloride films, formation of TRIi391
Chlorinated dioxins, monitoring C22, C25
Chromium steels, mining environments TRIii595
Cladding, laser B171
Climatic simulation, wind tunnels D273
Co-polyester elastomers, design opportunities TE35
Coal-fired power stations SP121, SP141, TUR313
boiler fans TRIii753
component life assessment procedures SP223
plant life extension project SP261
pressure parts refurbishment SP323
Coal-handling plant, refurbishment and life extension of SP121
Coal mines, tribology in TRIii787
Coal–water slurries
erosion of carbon steel TRIi345
erosion of ceramics TRIi345
Coast-down test D91
Coatings
anti-friction polymer TRIii747
as fretting palliative TRIi315
ceramic sprayed TRIii861
ceramics DL62, TRIii637
composite materials TRIi537
epoxy-based TRIii747
fretting wear TRIi303
friction coefficient predictive model TRIii657
physical vapour deposition TRIii629
polymer anti-friction TRIii747
polyurethane TE13
Tribaloy 700 plasma transferred arc TRIii651
Cobalt-base hardfacing couples
abrasion factor TRIii654
friction coefficient TRIii654
Cobalt–chromium–tungsten alloys, wear particles TRIii884
Cockenzie power station SP323
Coil handling equipment A235
Coilbox A230
Combined heat and power (CHP) plant A52, A187, A190
apppropriate analyses A193
average and marginal costs A262
Belfast A187
Boots Company plc IC19
Californian purchase arrangements A261
commercial arrangements for A259
content of studies A188
continental experience A191
cycle analysis A194
cycle calculations A199
economic performance optimization A201
Edinburgh A187
effect of lower oil prices A263
engine generator integration IC7
Fort Dunlop IC43
gas turbine heat recovery boiler performance off-design IC55
gas turbines for FM225
heat demand A190
historical background A187
Lerwick 'B' power station IC83
operating experience IC10
Pfizer Chemical Corporation IC31
power cycles A194
principles of investigations A188
programme and progress A189
UK legislation A259
UK purchase terms A260
Unilever Group IC1
US co-generation A263
US purchase terms A261
Combustion
data reduction and analysis using linear and non-linear regression techniques CET219
fluidized bed TUR313, TUR320
gas engines A127
spray process simulation CET191
turbulent, mathematical modelling CET315
Combustion chambers
component analysis CET31
flamelet modelling CET175
microturbulence VE213
Combustion flame volume determination CET227
Combustion modelling
computer D63
engine flowfield computations CET175
turbulent combustion CET315
two-zone D61
Combustion pressure, monitoring D55
Combustion pressure sensors D55
Combustion stroke, flow processes C69
Communications
CADCAM CC76, CC141
London Underground D31
significant steps in evolution of FM2
workforce B217
Compensation bellows, life management SP274
Complexity
coming to terms with B15
engineering systems B14
Component materials TRIii587
Components, automatic selection CC69
Composite curves A155
Composite materials
brake shoes D11
carbon fibre reinforced B73
coatings TRIi537
friction TRIi219
polyacetal-based TRIi219
PTFE-based TRIi219
surface roughness TRIi219
tribomaterials TRIii585
wear TRIi219
Composition improvement factor, pressure vessel steels SP309

Compression
  axial, centrifugal pump diffuser FM169
  effect on heat transfer A175
Compression heat, influence on viscosity TRIi437
Compression stroke, flow processes C65
Compressor blades
  boundary layer transition TUR223
  off-design loss prediction TUR249
Compressor discs, AIMS flexible manufacturing system B129
Compressors
  airborne free piston D177
  axial-flow
    component design development TUR261
    operating efficiencies TUR261
    performance improvement TUR261
    prediction of performance characteristic TUR273
    tip treatment IF35
    turbojet aerodynamic blading design techniques FM117
  BIGG process FM7
  braking systems DL147
  centrifugal
    Alrar gas treatment plant FM67
    comparison of analytical and field experience FM43
    diffuser channel geometry A145
    flow within vaneless diffuser TUR175
    hydraulic performance testing FM59
    hydrocarbon gas testing FM60
    impeller diffuser matching TUR183
    impeller flow analysis TUR199
    impeller geometry A147
    inert gas testing FM59
    offshore package applications FM27
    oil-free FM35
    performance prediction TUR183
    reinjection FM67
    return system losses FM97
    three-dimensional viscous compressible flow solver TUR53
    vaned diffuser TUR183
  gas engine integral FM77
  gas export FM53
  high-pressure FM8
  low-pressure FM7
  lubricants TRIi465
  medium-pressure FM7
  oil-free FM35
  reciprocating, pulsation analysis FM87
  refrigeration FM83
  tandem cascades TUR264
  transient performance simulation FM105
  turbocharger, performance map CET270
  turbojet development TUR254
Computer aided design. *See* CAD
Computer aided draughting system CC13
Computer aided engineering. *See* CAE
Computer aided planning CC127
Computer integrated manufacturing (CIM) CC127
  thermoplastic seals B107
Computer integration of geometric modelling CC57
Computer programs
  boundary element method BEM4
  fluid dynamics IF21
  rolling bearing systems SB6
  see also under specific programs
Computer simulation B30
  diesel engine condition monitoring CET281
  flexible manufacturing systems (FMS) PE229
Computers
  and design CC13
  in engine technology CETi
  see also under specific applications
Concorde airliner B125
Condensers
  aluminium brass tubes SP173
  copper alloy tubes SP175
  leak detection SP174
  leakage effects SP173
  modular SP156
  non-destructive testing of tubes SP162
  performance enhancement SP155
  performance investigations SP162
  refurbishment SP12
  remedial measures SP155
  retubing SP161, SP165, SP176, SP266
    with aluminium brass SP176
    with cupro-nickel SP176
    with titanium SP177
  tube detoriation SP173
  tube leakage SP155, SP162
  tube nest redesign SP163
  tube removal SP165
Condition monitoring
  diesel engines CET281, CET293
  ferrography TRIii897
  future development FM21
  on-line TRIii877
  regression analysis TRIii897
  rotating machinery FM15
  selection of system FM16
  tribology TRIi16
  vertical reactor coolant circulation pumps FM19
  vibration FM15
  wear TRIii897
Conductive matrices B56
Conduits
  head-loss coefficients C441
  steady state flow C439
  systems review C440
  uniform lateral inflow C446
Conformity of production (COP)
  Californian sampling plan VE351
  European sampling plan VE351
  exhaust emissions VE350
  international developments VE349
  legal basis for checking VE349
  requirements in UK VE350
  statistical considerations VE351
  testing VE349
  US Federal sample plan VE351
Connecting rods
  bearings TRIii701
  diagonally split CET39
  strength evaluation methodology CET39
Constant-pitch axial-flow inducers
  aerofoil theory C357
  Euler's equation C357
Constrained cavity growth model SP289
Contact mechanics
  aspects of current interest TRIii919
  boundary element method TRIii975
  cylindrical rollers TRIii976
  line contact TRIii922
  point contact TRIii922
  rolling and sliding contact TRIii923
  slip line field solutions TRIii987
  solution strategy of problems TRIii976
  stability of thermoelastic contact TRIii981
  surface roughness TRIii925
Contact pressure, gear teeth TRIii839
Contact resistance surface profilometry TRIi270
Contact resistances C421
Contact surfaces
  interfacial fillers C423
  pre-machining C423
  thermal resistances of C421
  thermally distorted C421
Contact temperature determination, four-ball machine TRIi399
Control algorithms
  design B28
  fast self-tuning C285
  initialization B184
Control systems
  dual-fuel engine CET231
  microprocessor-based CET231
  motor industry B23
  refurbishment SP13
  surge phenomena CET241
Control techniques, jet engines CET103
Control theory, self-tuning C285
Controllers, electrical variable-speed FM132
Conveyors, parcel handling B91
Cooling systems, diesel engines HA14, HA19, HA63
Co-polyester elastomers, design opportunities TE35
Copper
  abrasive wear TRIi239
  annealed and work-hardened asperities TRIii1003
  friction factor in upsetting TRIi512
Copper alloys
  bearings SB21
  condenser tubes SP175
  surface layers under sliding contact TRIi419

Copper tailings leach plant A77
commissioning and start-up A89
construction A88
contracts A88
design A82
estimating and cost control A84
flowsheet A81
materials of construction A83
modelling technique A82
planning A84
preliminary layout A82
process design A78
procurement A87
project capital and funding A82
project team A81
Corrosion
acid dewpoint SP141
chromium steels TRIii595
flue gas SP141
pipelines SP274
Corrosion inhibitors, dicarboxylic acid TRIi573
Corrosion pitting
fatigue crack initiation SP316
low-pressure turbine rotor shafts SP315
Corrosion protection, TiN TRIii632
Corrosion resistance, ceramic sprayed coatings TRIii863
COSMOS 7 program A113
Cost reduction A155
Coulomb friction equation TRIi163
Coulomb torque in ball bearings TRIii933
Couplings
for plain-ended pipes A72
lever-cam action A71
V-clamp A72
Cr–Mo steels TUR319
Cr–Mo–V steels
creep and stress rupture constants HT45
creep rupture of cold welds in SP253
Cr–Mo–V weldments, cracking of HT38
Crack growth
accelerated interactive creep-fatigue HT60
and creep damage HT52
fatigue HT59
in virgin and service exposed material HT1
modelling of HT1
stainless steel HT59
under mixed mode loading TRIii967
Crack growth rates
correlation with creep crack parameter HT18
prediction of HT62
Crack initiation
defect assessment HT39
fretting fatigue TRIii968
Hertzian TRIii995
metallurgical damage processes leading to HT51
notional life to HT17
prediction of HT43
Crack propagation, creep-fatigue cycling HT59
Crack size
at end of life HT12
calculation of HT10
Cracks
in welded components containing residual stresses HT41
in weldments HT38
modelling, boundary element method BEM93
Crankpins, vibration stresses CET80, CET82
Crankshafts
friction TRIi493
vibration CET56
vibration stresses CET79
Creep
cyclic case HT17
fatigue interaction HT59
high-temperature steam turbine components SP61
static case HT17
thermoplastic elastomers TE36
Creep cavitation, monitoring of HT51
Creep cavitation damage, weld heat-affected zones SP289
Creep crack growth HT1, HT42, HT59
prediction of HT42
stainless steel HT59
Creep damage
and crack growth HT52
gas turbine blades HT25
Creep deformation
at elevated temperatures HT1
prediction by short-term constant strain rate tests SP301
Creep failure, prediction in high-temperature cracked welded components containing residual stresses HT41
Creep fatigue, piping A121
Creep life
attemperators SP324
rotors SP48
steam headers SP224, SP237
superheater headers SP281
Creep rupture
nickel-based cold welds in Cr–Mo–V components SP253
platen tubes SP324
prediction by short-term constant strain rate tests SP301
Creep strain, in-service measurement SP228
Creep testing
superheater headers SP283
welded joints SP250
Crop shears A232
Croucher Limited, Anthony H., computer aided engineering CC45
Cutting
laser B68, B171
plasma B68
shipbuilding B67
Cutting forces in bar turning C213
Cutting tools
ceramics TRIii666
ion implantation TRIii665
surface treatments TRIii665
Cylinder–bulkhead combinations, elastic buckling C259
Cylinder blocks, finite element analysis CET47
Cylinder liners, lubrication TRIi135
Cylinder pressure
data acquisition CET219
measurement of CET69, CET211
numerical simulation CET211
pulsation characteristics CET72
signal processing CET211
Cylinders, steam turbine refurbishment SP4, SP17

Damage mechanisms, high-temperature SP61
Damping coefficients, squeeze-film vibration isolator C181
Danish State Railways
electrification of D85
push-pull train operations D79
Data acquisition
engine test facility CET250
exhaust emissions VE132
Ricardo E6 engine D61
time-variant CET87
Data analysis
exhaust emissions VE209
time-variant CET87
Data collection, CAE CC41
Data interchange
CIM PE25
see also under CADCAM
Data processing, heat transfer in IC engines A177
Databases
automatic component selection CC69
bibliographic CC69
CAD CET7
CADCAM CET309
conceptual design CC51
diesel engine fault diagnosis CET296
future development areas CC71
integration of CC51
man–machine interfaces CC71
mechanical engineering design CC15
product information CC69
small graphics CC83
structured search CC69
Deaerators, refurbishment of SP154
Defect assessment
high-temperature HT37
under steady loading HT9
Defects, electrochemical machining B229
Deformation, boron nitride films TRIii621
Deformed contacts, film thickness C171
Deoxo reactor FM6
Deposition monitoring C23

Deposition sampling C24
Design
  aggregation into function-carriers CC60
  and computers CC13
  calculations and reports CC16
  decomposition of overall function CC59
  form and function integration CC58, CC61
  industry's requirements B205
  process phases CC58
  project-based postgraduate courses B207
  robotic manipulators B221
  rule-based computer system CC61
  rule-based programming CC57
  specification of overall function CC59
  synthesis of solution principles CC60
  systems engineering approach CC57
  technical optimization and assessment CC60
  training in advanced engineering B205
  workgroup model
    CAD CC27
    non-CAD CC28
Design supervisor, role with CAD CC27
Designer, profile of B205
Detonation, parameters affecting A128
DIAD program CC38
Diamond
  friction TRIi161, TRIi205
  wear TRIi205
Dicarboxylic acid, corrosion inhibitors TRIi573
Dielectric constant, reaction film TRIi566
Diesel engine fault diagnosis (DEFD) CET294
Diesel engines
  acceptance test DL49
  computerized fault diagnosis CET293
  condition monitoring CET281, CET293
  cooling systems HA14, HA19, HA63
  Crossley–Pielstick type PC3 IC85
  cylinder block analysis CET47
  direct injection VE122, CET191, CET199, VE213
    low-quality fuels VE247
  duty cycles DL44
  exhaust emissions DL52, VE74, VE83, VE109, VE122, VE153, VE319, VE335
  exhaust pollution reduction devices HA25
  fatigue DL50, DL53
  flame protection HA11
  flameproofing HA17, HA35, HA36
  flameproofing costs HA21
  flameproofing tests HA1
  fuel consumption DL44
  heavy fuel-oil IC6
  high-speed DL107, DL117
  in coal mines HA11
  in marine environments HA49
  in non-mining potentially flammable atmospheres HA5
  in underground mines HA17, HA25, HA35
  indirect injection, low-quality fuels VE247
  load factors DL44
  mechanisms of ignition HA12
  medium-speed IC6, IC43, DL97, DL107
  multi-processor simulation CET281
  noise HA19, DL52
  piston design CET25
  protection for hazardous areas HA49
  Ruston RK270 rail traction DL89
  safety systems for HA12
  SEMT-Pielstick PA4 DL107
  SEMT-Pielstick PA4-200 VG DL110
  SEMT-Pielstick PA5 DL108
  SEMT-Pielstick PA6 DL108
  sources of ignition HA11
  surge control CET241
  swirl-chamber-type CET69
  test procedures for flameproof inlet and exhaust systems HA1
  through-life costs DL43
  turbocharged
    computer design CET269
    flameproof HA22, HA50
    in non-mining hazardous atmospheres HA7
    model D229
  underground use HA1
  wear tests TRIi473
Diesel generators, fire pumps FM150
Diesel locomotives. *See* Locomotives (diesel)
Differential scanning calorimetry, atmospheric pressure TRIi411
Differential thermal analysis, high-pressure TRIi412
Differentials, limit state handling D286
Diffusers
  centrifugal pump FM169
  channel geometry A145
  impeller interaction A165
  straight wedge A145
  vane island A145
Dilinoleic acid
  adsorption TRIi573
  effective molecular surface area TRIi573
Dimer acid, preparation of TRIi573
Distillate fuels DL60
District heating. *See* Combined heat and power (CHP) plant
Downcoilers A235
Drawings, automated production CET7
Drilling, laser B171
Driver characteristics, and transient engine conditions CET257
Drives
  electrical variable-speed FM131
  high-reduction planetary gear performance D293
Dual-fuel engines A131
  energy cell A131
  microprocessor-based control system CET231
Ducts, acoustics *(book review)* C457
Dunlop Aviation Division, computer aided engineering CC91
Durability, methods of improving TE31
Dust handling plant SP126

Economizers
  modifications SP112
  recirculation system SP113
Edinburgh, combined heat and power/district heating (CHP/DH) A187
Education and training
  accreditation B17
  advanced engineering design B205
  CAD CC39
  for fitness for purpose (Presidential Address) B1
  open learning B208
  shortage of graduates B16
  workforce B218
Effluents, radioactive treatment plant A1
Eigenvalue/eigenvector assignment methods, gas turbines CET103
Elasticity, three-dimensional axisymmetric problems of BEM61
Elastohydrodynamic (EHD) film thickness, effects of surface roughness and additives C1
Elastomeric alloys TE5
  applications TE6
  experimental properties TE6
  mechanical properties TE7
  performance properties TE6
  physical properties TE6
  processing TE6
  properties TE5
Elastomers
  friction TRIi161
  thermoplastic
    case for and against TE1
    consumption statistics TE2
    creative design opportunities TE35
    creep properties TE36
    definition TE1
    development history TE35
    dynamic properties TE36
    fatigue properties TE36
    high-performance TE35
    hysteresis losses TE36
    impact strength TE36
    manufacturers TE2
    motor industry applications TE31
    overview of TE1
    sealing applications TE25
    strength versus elasticity TE35
    stress–strain behaviour TE35
    types of TE2
ELBOW 31 program A116, A117, A119

ELBOW 31B program A116, A117, A119
Electric installations, rolling bearings TRIii859
Electric motors
separately excited d.c. DL201
with passout turbine FM123
Electric Power Research Institute (EPRI) TUR313
Electrical capacitance, additive effects TRIi546
Electrical contact resistance, TRIi267, TRIi546
Electrical properties, ceramic insulating coatings TRIii861
Electrochemical machining. *See* Machining
Electrochemistry, lubrication TRIi389
Electrohydraulic convertor unit A29, A36
Electrohydraulics
servo-mechanisms B175, B181
servo-valve non-linearities C137
servo-valves C193
Electromotive force, cam–tappet system TRIi531
Electron properties of friction surfaces TRIi447
Electronic control, engine management systems VE259
Electronic control unit A29, A36
Electrostatic discharges HA54
Elliptical contacts, elastohydrodynamic lubrication TRIi91
Energy conservation vehicles D129
cost–weight analysis D133
Energy consumption, rod mills B119
Energy efficiency
future A53
government role A48
priorities for increasing A53
process industries A47
programmes for industry A49
promotion and marketing A53
Energy efficiency demonstration scheme A47
Energy Efficiency Office A47
Energy losses, in chemical plants FM221
Energy requirement, minimum A155
Energy saving
electric variable-speed drives FM131
process plants FM219
Energy Technology Support Unit (ETSU) A50
Engine control
electronic VE269
new concept in D55
Engine design, CADCAM CET3
Engine efficiency, methods of improving TE32
Engine management systems
electronic control VE259
examples of VE263
future development trends VE266
objectives and features of VE259
Engine parts, CADCAM CET1
Engine starting, methods of HA54
Engine test facilities
dynamic test bed CET325
dynamic test bed simulation CET257
Ford CET249
microcomputer-controlled CET325
Engineering, and complexity B14
Engineering Institution, future role B16
Engineering systems, complexity B14
Enhanced oil recovery FM5
Environmental monitoring, hazardous waste incineration C23
EPDM/polypropylene TE7
Equation of motion, solution of CET60, CET61
Erosion
by coal–water slurries TRIi345
carbon steel TRIi345
ceramics TRIi345
cermets TRIi345
chromium steels TRIii595
fans TRIii753
Ethanol fuels DL59
E3D program CET165
Euler equation TUR323
constant-pitch axial-flow inducers C357
impeller blades C357
Euler solvers TUR323
comparison with method of characteristics TUR326
corrected viscosity scheme TUR324
Runge–Kutta type of scheme TUR324
Exhaust emissions
abatement VE121 VE123
Austrian regulations VE171
carcinogenic VE57
commercial vehicles VE122
conformity of production VE350
control standards CET325
control system CET252
cost-effectiveness of abatement measures VE124
data acquisition VE132
data analysis VE209
diesel engines DL52, VE74, VE109, VE122, VE319, VE335
legislation VE86
dispersion near motorway VE131
durability of control regulations VE124
EC Directive, Fifth Amendment VE43
EC Draft Fifth Amendment regulations VE197
EC legislation VE63, VE187, VE348
EC proposals VE59, VE157, VE187
EC regulations VE1, VE163
engine capacity categories VE87, VE205
engine development process VE347
engine management systems VE259
environmental effects VE357
Ford engines below 1.4 litres VE197
fuel consumption VE189, VE282
fuel quality effects VE190, VE247
future trends VE72, VE74, VE165, VE171, VE345
gas chromatography VE179
gaseous HA27, VE56
hardware application VE346
health effects VE55, VE357
investigation of effects of VE63
lean-burn engines VE89, VE189, VE205
Luxembourg Agreement VE73, VE163
Luxembourg compromise VE151, VE154
manufacturing/service related pressures VE348
measuring VE131, VE335
mutagenicity VE89
Netherlands VE119
nitrogen oxides VE9
particulate HA28
passenger cars VE121
photochemical pollutants VE57, VE71
rationalizing standards VE345
reduction of HA25, VE62, VE119, VE187, VE345, VE358
regulations and in-service performance VE164
regulations related to air quality VE163
sampling methods VE97, VE131, VE179, VE221, VE335
secondary pollutants modelling VE71
small car standards VE155
Stockholm Group VE151, VE154
test procedures VE155, VE338
unburnt hydrocarbon HA27
underground HA20
workload impact VE347
see also Air pollution; Catalyst systems; and under specific emissions
Exhaust gas conditioners HA38
Exhaust gas heat exchangers for diesel engines HA13
Exhaust manifolds, turbulent flow in junctions CET183
Exhaust pipes, water-cooled HA38
Exhaust scrubbers HA26
Exhaust stroke, flow processes C71
Exhaust systems
acoustics *(book review)* C457
flameproof HA35
spray-cooled HA21
see also under Diesel engines
Expansion, effect on heat transfer A175
Expert systems
construction of CET296
diesel engine fault diagnosis CET294
see also Knowledge-based systems
Explosive cladding B8
Explosive plugging B6
Extrusion, thermoplastic polyurethanes TE13

Failure mode and effects analysis (FMEA) A34
Failure mode effects and criticality analysis (FMECA) A33, A35
Fans
  aerodynamic design IF1, IF7
    computer techniques IF21
  axial-flow IF7
    tip treatment IF35
  blade geometry for optimum efficiency IF45
  blade selection for low noise IF51
  casing efficiency IF16
  centrifugal IF13
  design improvements SP131
  efficiency calculations IF16
  erosion TRIii753
  fixed-speed damper-control FM132
  gaskets TE26
  impeller efficiency IF16
  life expectancy SP132
  low-pressure axial IF1
  mixed-flow IF7
    performance TUR95
    simple blade geometry IF27
  noise IF4, IF51, SP135
  performance coefficients IF14
  rotor performance TUR103
  scale model tests IF4, IF23
  transient performance simulation FM105
  wear TRIii753
  wear protection methods TRIii754
Fasteners, split head bolts A73
Fatigue
  creep interaction HT59
  fretting TRIi312, TRIi316, TRIii965
  high-pressure vessels B5
  high-strain HT39
  rolling contact SB65
  rolling element TRIii829
  thermal
    high-temperature steam turbine components SP62
    rotors SP47, SP49
Fatigue crack growth, stainless steel HT59
Fatigue crack initiation, corrosion pitting SP316
Fatigue cracks
  fatigue HT38
  in steam turbines HT38
  short *(book review)* C233
  thermal HT39
Fatigue damage, gas turbine blades HT25
Fatigue failures, diesel engines DL53
Fatigue life, and in inclusion summation SB68
Fatigue properties
  diesel engines DL50
  thermoplastic elastomers TE36
Fatigue tests, hydraulic pulser CET41
Fats TRIi366
Fatty acids, adsorption TRIi573
Fe–Cr–C–B alloys, elevated temperature TRIii605
Feedwater heaters
  drainage control SP155
  head-down heaters SP153
  head-type heaters SP154
  horizontal heaters SP153
  low-pressure heaters SP154
  re-use of components SP153
  refurbishment SP12
  repair SP154
  tube failure SP151
  tube material and tube attachment SP152
  tubenest design SP152
  turbine water ingress protection SP154
  water level control SP152
  waterbox cracking SP153
  waterbox division plates SP152
Feedwater pumps. *See* Pumps
Fermentation gases A130
Ferritic steels
  low-alloy SP289
  steam turbines TUR315
Ferrography
  condition monitoring TRIii897
  on-line condition monitoring TRIii877
  wear measurement TRIii877
Fibre optics, gyroscopes ID113
Film thickness, deformed contacts C171
Film thickness measurements TRIi565, TRIi566
Filters
  air TRIii782
  air inlet HA52
  oil TRIii782
  superfine-SF-oil TRIii782
Filtration, radioactive effluent treatment A5
FINAS program A113, A115
Finishing mills A232
Finishing scale breaker A232
Finite difference method BEM1
Finite element codes, general-purpose A112
Finite element methods BEM1
  acoustic FM87
  and CAD CET17
  centrifugal pump diffuser FM169
  classical inelastic theory CET146
  combustion chamber components CET31
  comparison with boundary element method BEM63, BEM69
  crankshaft vibration CET79
  cylinder blocks CET47
  friction factor in upsetting TRIi513
  gas lubrication TRIi53
  locomotive bogie A61
  nuclear fuel transport flask A64
  pre- and post-processing system for CET17
  soil mechanics *(book review)* C308
  stress analysis CET40
  three-dimensional solids BEM69
  two-dimensional plate analysis BEM41
  unified inelastic theory CET146
Finite element models, three-dimensional B149
Fire extinguishing mediums D221
  safety aspects D226
Fire fighting, offshore systems FM148
Fire protection on trains D217
Fire pumps. *See* Pumps
Flame arresters
  exhaust HA7, HA8, HA15
  fouling HA52
  inlet HA7, HA8, HA15
Flamelet modelling, combustion chambers CET175
Flange joints, determination of gaps between A267
Flash photography flow visualization TUR83
Flash temperature theory TRIi1, TRIi3
  offshoots and extensions of TRIi5
Flashing liquid, waste hydraulic pressure of FM221
Flexible assembly
  investment appraisal B35
  product selection B35
Flexible manufacturing systems (FMS) B129
  sequencing problems B247
Flow
  aerodynamic *(book review)* C233
  collecting conduits C439
  decay process in turbulent swirl C279
  impeller of centrifugal pump TUR81
  in-cylinder C57
  inviscid C445
  laminar, rotating sphere C427
  mixed subsonic-supersonic TUR323
  non-Newtonian C449
  predictions in turbine nozzle cascade TUR211
  swept linear turbine cascades TUR231
  three-dimensional viscous flow TUR53, TUR63
  transonic cascade, with embedded shocks TUR323
  transonic low-pressure TUR145
  turbulent, in exhaust-manifold junctions CET183
  turbulent rough flow regime C445
  turbulent smooth flow regime C445
  wet steam flow in turbines TUR135
Flow analysis, vortex throttles C337
Flow coefficients, volume IF14
Flow force effect, electrohydraulic servo-valves C193
Flow measurements
  five-hole pressure probe analysis IF13
  in-cylinder C57
Flow processes
  combustion stroke C69
  compression stroke C65
  exhaust stroke C71
  induction process C60
  intake stroke C62
Flow ripple produced by gear pumps B99
Flow tests in model exhaust duct FM226

Flow visualization
  bearings TRIi37
  flash photography TUR83
Flue gas, corrosion SP141
Fluid dynamics, computer programs IF21
Fluid mechanics, internal combustion engines C57
Fluidized bed combustion TUR313, TUR320
Fly ash, monitoring of emissions C21
Fokker bond tester B41
Force/torque sensors B55
Forests
  effects of nitrogen oxides and hydrocarbons VE17
  influence of air quality on VE62
Forging, elevated temperature TRIi392
Forging die mandrel, stress measurements B239
Fort Dunlop combined heat and power plant IC43
Four-ball machine, contact temperature determination TRIi399
Fourier series spectrum, gear transmission error C227
Fracture
  contact loading TRIii922
  prediction at high temperature HT17
Fracture analysis, sliding Hertzian fracture TRIii995
Fracture mechanics
  boundary element method BEM3
  creep crack growth HT1
  defect assessment methods HT38
  in gas turbine blades HT27
  linear elastic TRIii923
Fracture toughness, WC–Co alloys TRIi277
Fretting, *see also* Fatigue; Wear measurement
Friction
  ball bearings TRIii871
  bearing materials SB42
  boron nitride films TRIii621
  boundary TRIi358, TRIi497
  ceramics TRIi161, TRIi555
  contacting pairs for mechanical seals TRIii709
  Coulomb equation TRIi163
  crankshafts TRIi493
  development history TRIi157
  diamond TRIi161, TRIi205
  elastomers TRIi161
  general mechanism of TRIi159
  heating TRIi162, TRIi165
  linear C275
  measurement between sliders TRIi389
  metal–polymer systems TRIi339
  metals
    adhesion component TRIi159
    ploughing and adhesion in unified model TRIi160
    ploughing component TRIi159
    repeated sliding TRIi160
    surface films TRIi160
  non-linear C276
  piston-ring/cylinder liner TRIi135
  polyacetal-based composites TRIi219
  polymer–polymer bearings TRIii725
  polymers TRIi162
    during non-linear sliding TRIi193
  polytetrafluorethylene (PTFE) based composites TRIi219
  rolling TRIi232, TRIi261
  rubbers TRIi227
  shaft and turntable, transmission line modelling C275
  silicon nitride TRIi173
  sliding TRIi229, TRIi230, TRIi231, TRIii957
  steel–polymer bearings TRIii725
  wood TRIi162
  zirconia TRIii609
  see also Tribology; Wear
Friction coefficient
  and surface roughness correlation C321
  brake shoes D15
  coated surfaces TRIii657
  cobalt-base hardfacing couples TRIii654
  gear teeth at start of running TRIii845
  in sliding metallic friction TRIii957
  plastic envelopes B141
  resins TRIi247
  rolling TRIi264
  sliding TRIii935
  Tribaloy-700 TRIii654
Friction factor, upsetting TRIi511
Friction materials TRIii588
  brakes TRIii911
  tribological properties of TRIii911
Friction measurements
  lubricant test rig TRIi496
  sapphire TRIii687
  silicon carbide TRIii687
  sputtered molybdenum disulphide films TRIi503
  steels TRIii687
  titanium nitride TRIii631
Friction mechanisms TRIii585
Friction modifiers TRIi573
Friction surfaces, electron properties of TRIi447
Friction tests
  in liquid sodium TRIii652
  titanium-based ceramics TRIii615
Front-wheel-drive vehicles D193, D289
Fuel consumption
  and exhaust emissions VE189, VE282
  diesel engines DL44
Fuel injection systems, Ford central VE269
Fuels
  alternative DL61
  combustion chemistry modelling CET175
  costs evaluation DL43
  diesel locomotives DL2
  exhaust emissions VE123, VE190
  gaseous A127
  low-quality
    exhaust emissions VE247
    in DI and IDI engines VE247
  nuclear. *See* Nuclear fuels
  underground use HA20, HA26, HA63
  see also Dual-fuel engines

G-stability, centrifuges ID63
Galashiels Gas Company Limited v *O'Donnell or Millar* B198
Galerkin vector BEM26
Gas blend units
  high-pressure FM61
  low-pressure FM61
Gas chromatography, exhaust emissions VE179
Gas circulators, repairs A215
Gas engines A127
  adapting methods A130
  applications A133
  combustion A127
  controlled ignition systems A130
  integral compressors FM77
  Jenbacher 1.5 MW reciprocating IC2
  low calorific value gas A132
Gas exchange simulation model CET123
Gas expanders FM8
Gas flow modelling
  manifolds CET131
  valves CET131
Gas generation. *See* Bulk inert gas generation (BIGG) process
Gas industry, fire pumps for FM147
Gas pressure, effect on fretting TRIi321
Gas pumping station, transient performance simulation FM105
Gas sampling C24
Gas separators, Prism FM6
Gas treatment plant, Alrar field FM67
Gas turbine blades
  computer design CET151
  dynamic analysis CET151
  interaction of creep and fatigue damage HT25
  interactive design CET165
  life prediction methods HT25
  structural analysis CET145
  thermal analysis CET151
Gas turbines
  aero engine dynamics CET95
  aerodynamic analysis CET151
  aerofoil row aerodynamics CET87
  Allison-501 IC2
  axial-flow A279
    design sequence A281
  binary cycle IC65
  co-generation problems FM225
  eigenvalue/eigenvector assignment methods CET103
  generator set IC31
  heat recovery boiler performance off-design IC55
  optimal control CET103
  performance estimation A287
  Ruston TB5000 IC2
  Solar Centaur IC2

thermodynamic development IC65
waste heat recovery IC19
Gases, low calorific value A130
Gasifiers, supercharging A134
Gaskets, ventilation fan TE26
Gasoline. *See* Petrol
Gear pumps. *See* Pumps
Gear teeth
bending stress TRIii839
contact pressure TRIii839
Gear transmission error spectra, tooth-spacing errors C227
Gearboxes
cutter-head TRIii797
helicopter main rotor TRIii819
Gears
friction coefficients TRIii845
high-conformity TRIii819
high-reduction planetary D293
lubrication TRIii845
materials TRIii587
noise tests TRIii841
plastics TRIii841
scuffing of TRIi362
scuffing temperature TRIi1
steel pinion/plastic wheel pairs TRIii839
surface failure TRIii842
tooth breakage TRIii841
transmission error accuracy C133
Wildhaber–Novikov tooth form TRIii819, TRIii839
Generator rotors. *See* Rotors
Generators
diesel IC83
gas turbine IC31
steam-turbine, refurbishment SP9, SP12
Geometric modelling, computer integration of CC57
Geothermal power resources, life management SP271
Glands
rotor SP2
water-sealed SP3
Gold mines, steels for TRIii595
Governors
electronic A29
steam turbogenerator A29
Grain size, effect on wear behaviour of Mn–Zn ferrite TRIii671
Grant Report B17
Graphite lubricants TRIi370
Grease lubricated elastohydrodynamic film thickness TRIi97
Grease lubrication, fully flooded and starved conditions TRIi91
Greases TRIi370
aluminium-base TRIi455
derivatography TRIi455
fire-resistant TRIi465
soap-base TRIi455
Green's function BEM35
Green's integral theorem BEM41
Grinding, plunge centreless, three-dimensional geometric analysis C309
Grinding fluids, evaluation of TRIi517
Gyroscopes
component manufacture ID125
electrostatically suspended ID37
Ferranti type-125 ID53
fibre-optic ID113
force measuring system ID137
frictionless inner and outer gimbal pick-offs ID9
gas-lubricated bearings ID45
mechanical design aspects ID37
motion systems test equipment ID149
nutation frequency analysis ID95
Oscillogyro design, manufacture and performance ID17
rebalance loop development ID169
remotely piloted vehicles ID1
ring laser dither mechanism ID105
single-degree-of-freedom system development ID167
testing and evaluation programme ID167
triaxial laser ID101
tuned rotor evaluation ID168
twin-axis rate ID29
two-axis rate ID79, ID89
two-degree-of-freedom ID9, ID17

Halon 1211 (BCF) D221
Halon 1301 (BTM) D222
HAMBLE mathematical model A202
Hamilton v *National Coal Board* B199
Hardfacing
wear-resistant TRIii651
weld deposits TRIii605
Hardness
abrasive media TRIii605
TiN TRIii630
WC–Co alloys TRIi277
wear resistance indicator TRIi197
Hardness measurements, ballized surface TRIii764
Hardness tests, weld surfacing deposits TRIii643
Hawkins v *Holmes* B200
Hazardous atmospheres, diesel engines for. *See* Diesel engines
Hazelwood power station SP261
Headers. *See* Steam headers; Superheater headers
Heat exchange, heat recovery boilers IC56
Heat exchangers
design criteria C365
exhaust gas HA13
natural-convective C365
Heat recovery FM220
high-temperature A51
low- and medium-temperature A50
Heat transfer
internal combustion engines A175
steady state rates of free-convective, conductive and radiative C365
Heat transfer coefficients, heat recovery boilers IC59
Heat treatment, post-weld SP326
Heating, frictional TRIi162, TRIi165
Helicopter, rotor gearbox TRIii819
Herbage sampling C24
Hertzian pressure, ball bearings TRIii853
HI-EPIC-4 program A115
Hinkley Point 'B' power station SP161
Hip joints, artificial TRIii715
Hot section technology project (HOST) CET145
Hot strip mills
automation and control A235
commissioning A238
construction A237
development A223, A229
maintenance A239
plant performance A239
project management A226
quality assurance A224, A228
rebuilding A223
review A239
HOTOL project B126
Hovercraft
model testing B82
skirt design and manufacture B79
Human uptake, monitoring C23
Hydraulic fluids, water-based TRIi461
Hydraulic forces on centrifugal impellers A163
Hydraulic motors, fire pumps FM151
Hydraulic test rigs, fast self-tuning controller C285
Hydrocarbon emissions VE177
abatement VE123
absorption/desorption experiments VE233
bulk quenching VE234
control methods VE206
ecological effects VE17
health effects VE61
measurement problems VE335
monitoring C21
research programmes VE229
sampling VE221, VE232
sources and mechanisms VE230
Hydrocarbons, winning difficult B146
Hydrochloric acid, monitoring of emissions C22
Hydrodynamic forces, squeeze-film bearings C126
Hydrodynamics, as applied to lubrication C84
Hydrogen fuels, dual-fuel engine CET231
Hydrolysis
distillation methods C122
fermentation of hydrolysate C121
neutralization and concentration of hydrolysate C120
pretreatment methods C118
reactor types C118
summary of working conditions C119
Hydroperoxides in engine oils TRIi558
Hyperstability theory, application of B178
Hysteresis losses, thermoplastic elastomers TE36

Image processing, lasers TRIi37
Impact strength, thermoplastic elastomers TE36
Impact wear. *See* Wear
Impeller blades
aerofoil theory C357

Euler's equation C357
Impellers
axial-flow C357
axial-thrust A172
bearing forces A166
cavitation erosion SP183
diffuser interaction A165
hydraulic forces on A163
labyrinth forces on A165
pressure distribution A166
radial loads on A163
radial thrust A164, A166, A167
diffuser pump A169
shaft deflection A166
shaft stresses A166
volute pressure distribution A167
see also under Pumps
Improved coal-fired power plant (ICPP) project TUR313
Incinerators
cold or adsorbent traps C24
combustion efficiency C26
continuous monitoring C24
in-line chromatography C24
monitoring of emissions C21
toxic waste C22
Induction process, flow processes C60
Induction systems
lean-burn engines VE237
variable CET126
Inertial coefficients, squeeze-film bearings C125
Inertial devices
component manufacture ID125
motion systems test equipment ID149
see also Centrifuges; Gyroscopes
Inertial platforms ID130
Information analysis strategy model (IASM) CET297
Information programmes, radioactive wastes RW4, RW45
Information systems for designers CC69
Information technology
laser applications B172
tribological design TRIii698
Initial graphics exchange specification (IGES). *See* CADCAM, data exchange standards
Injection moulding, thermoplastic polyurethanes TE13
Inlet systems
pressure losses CET274
see also under Diesel engines
tuned CET271
Innovation, energy efficiency increase in process industries A47
Institution of Mechanical Engineers
Council structure B17
future role B18
organization B17
Instrumentation
oilfield water-injection applications FM142
refurbishment SP13
Intake manifolds, computer design CET111
Intake stroke, flow processes C62
Intake system, computer design CET111
Interface engineering, tribology TRIi16
Interfacial layers as fretting palliative TRIi316
Internal combustion engines
computer models CET111
fluid mechanics C57
gas-fuelled A127
heat transfer A175
wide open throttle (WOT) performance CET123
Investment appraisal, flexible assembly B35
Ion beam deposition, boron nitride films TRIii621
Ion exchange. *See* Site ion exchange effluent plant (SIXEP)
Ion implantation, cutting tools TRIii 665
IRG transition diagram method TRIi427
Iron, oxidation TRIi297
Iron alloys, abrasion resistance TRIii603
Irradiation effects, prototype fast reactor (PFR) A241
Isokinetic sampling C24

Jaguar Cars
AJ6 engine D163, D164
C type body structure D158
D type body structure D159
E type body structure D159
history of D155
post-war developments D158
SS1 D156
SS100 D157
V12 engine D161
XJ40 D163
XK engine D157
Jet engines, control techniques CET103
Just-in-time system CC127

K-Jetronic engine management system VE264
KE-Jetronic engine management system VE264
Ketone emissions, test procedures VE283
Knowledge-based systems
opportunity or problem B14
see also Expert systems

Laminar flow. *See* Flow, laminar
Laser doppler anemometry (LDA) TUR82
combustion process VE213
turbine nozzle cascade predictions TUR211
Laser position correction program TUR83
Lasers
applications B165
carbon dioxide B172
coherent B172
current applications B170
cutting applications B171
developments in cutting and welding B68
drilling applications B171
image processing TRIi37
machining operations B166
materials processing B168
monochromatic B172
Nd–YAG B172
potential advantages B170
review B165
ring laser gyro ID105
surface treatment applications B170
triaxial gyro ID101
welding applications B168
wide bandwidth B172
Lead
health effects of VE55
in petrol VE153, VE167, VE360
Lead emissions, effect on forests VE22
Lean-burn engines VE74
catalysts for VE282
exhaust emissions VE89, VE189, VE205
hydrocarbon sampling VE221
induction system optimization VE237
Legal aspects, maintenance B197
Lerwick 'B' power station IC83
Letter tracking B89
Level transfers, parcel handling B91
Ligno-hemicellulose-cellulose (LHC) complex C117
Linear propulsion, tribology TRIi15
L-/LH-Jetronic engine management system VE264
Local partial differential equation method (LPDEM) TRIi47
Locomotives
aerodynamics DL63
Class 46 A57
diesel
acceptance test DL49
acoustic environment DL71
Alco-636 DL7
bogie performance criteria DL177
braking package DL147
British Railways DL31
business requirements DL32, DL37
Canadian requirements DL1
Class 38 DL34
Class 59 DL34
current practices DL1
electrical equipment DL3
fleet expansion DL31
freight DL31, DL34
future requirements DL33, DL40
German Federal Railway DL17
government targets DL33
heavy haul requirements DL7
high-speed engines DL107, DL117
historical perspective DL31
life costs DL45

life extension DL33
lubrication DL28
maintenance DL4, DL35, DL37
maintenance costs DL45
mechanical parts DL4
medium-speed engines DL97, DL107
1955 modernization plan DL31
noise levels DL71, DL77
noise reduction DL85
power and adhesion requirements DL2
radio control DL20
rebuild programme DL10
replacement decision DL7
retrofit programmes DL27
Ruston RK270 engine DL89
silencers DL77
United States DL25
current models DL27
future technology DL27
winterization DL3
diesel-electric
adhesion improvement DL201
asynchronous three-phase transmissions DL227
Class 59 for Foster Yeoman DL249
Class ME D79
MaK Class 1002 DL227
MaK Class 6400 DL227
motive power economic productivity DL57
separately excited d.c. motors DL201
standard design DL227
three-phase operation DL165
three-phase propulsion DL137
United States DL241
diesel-hydraulic
Hunslet shuttle DL219
small freight DL219
electric
adhesion D105
asynchronous motors D101, D103
class EA D86
d.c. motors D99, D103
electrical equipment D100
energy efficiency D104
mechanical parts D105
reducing track stresses D107
reliability D101
synchronous motors D100, D104
three-phase motors D103, D104
traction motor considerations D102
electromotive high-adhesion, with controlled wheel creep DL209
flameproof enclosure HA61
in underground environment HA61
lumped mass–spring analysis A59
radio control DL157
remote control shunting DL160
robot DL160
London Underground. *See* Railways
Low-density polyethylene (LDPE), plastic envelopes B137
LPG fuels A129
Lubricants
additives TRIi382
and catalyst systems VE305
ballizing TRIii761
characterization of high-performance TRIi427
chemistry of TRIi355, TRIi379
contribution to diesel exhaust particulates VE109
critical applications TRIi461
current and future problems TRIi371
effect on cam/follower pitting TRIi523
extreme-pressure TRIi447
fretting palliatives TRIi314
high water base TRIi461
hydraulic rock drilling TRIi461
IRG transition diagram data TRIi427
liquid TRIi365
metal soaps TRIi411
nineteenth century C75
oil-in-water emulsions TRIi85, TRIi461
oxidation TRIi379
polymer effects TRIi497
properties of C83
railways C76
review TRIi365
shear-thinning TRIi395
solid TRIi370
specialized TRIi461
surface-active TRIi419
synthetic TRIi465
test rig evaluation TRIi493
tube drawing TRIi391
viscosity effects. *See* Viscosity
water-containing TRIi367
water–glycol TRIi461
wire drawing TRIi391
Lubricating films, numerical analysis TRIi47
Lubrication
artificial hip joints TRIii715
bearings SB71
boundary TRIi286, TRIi355, TRIi369, TRIi372, TRIi447
ceramics TRIi555
current and future problems TRIi371
cylinder liners TRIi135
diesel locomotives DL28
dry TRIi537
dry and lubricated contact of rough surfaces TRIi71
dynamic loading C88
early concepts of C77
effects of additives in C1
effects of surface roughness C1, C90, TRIi135
elastohydrodynamic C4, C29, TRIi85, C90, TRIi91, TRIi105, C145, TRIii820
electrochemical TRIi389
extreme pressure TRIi355, TRIi359
film thickness in deformed contacts C171
fluid-film C75, TRIii808
gas
boundary element method TRIi53
finite element method TRIi53
gears TRIii845
general view on action of C83
hybrid TRIi129
hybrid slot entry pivoting pad TRIi129
hydrodynamic TRIi129
hydrostatic TRIi129
in underground environment HA62
isoviscous-elastic regime TRIii809, TRIii812
isoviscous-rigid regime TRIii808, TRIii811
micro-elastohydrodynamic TRIi61
micro-rheodynamic TRIi370
mixed conditions TRIi61
thermomechanical phenomena TRIi105
Osborne Reynolds Centenary C75
parched elastohydrodynamic TRIi81
partial elastohydrodynamic TRIi111
piezoviscous-elastic regime TRIii809, TRIii811
piezoviscous-rigid regime TRIii808, TRIii811
piston rings TRIi135
piston-ring/cylinder liner TRIi135
polymer–polymer journal bearings TRIii725
regime charts TRIii812
semi-centennial perspective of TRIi9
sheet forming TRIi393
squeeze-films C88
steel–polymer journal bearings TRIii725
synovial joint C92
thermal effects C88
thick reacted film TRIi361
see also Tribology
Lundberg–Palmgren equation TRIii829

Machine design, tribology in TRIii697
Machining
electrochemical B229
laser B166
microcomputer real-time control PE287
octree representation B157
quadtree representation B159
zig-zag B160
Magnetic bearings. *See* under Bearings
Magnetic domain refinement, laser B170
Magnetic saturation effect in electrohydraulic servo-valves C197
Maintainability
pipe joints A69
turbine governing system A29
Maintenance
diesel locomotives DL4, DL35, DL37

fire protection D226
legal aspects B197
motor industry B21
Malamine TRIi247
Man–machine interface
CAD CC17
databases CC71
Management
aspects of workforce B215
research and development B146
Manganese steel, abrasion resistance TRIii604
Manganese–zinc ferrite
surface chemistry TRIii673
wear behaviour TRIii671
Manifolds, gas flow modelling CET131
Manipulators
adaptive hybrid position/force control for C403
automatic balancing B25
balanced B27
dynamic model B26
robotics B25, B221
unbalanced B27
Manufacturing
competitiveness in B123
success in B123
Manufacturing Industries Development Association (MIDAS) CC41
Manufacturing industry
future of B195
strategies for success in B143
tribology TRIi15
MARC program A112, A115, A117, A118, A119
Market approach to product development B192
Market predictions, need for B193
Marketing, rod mills B121
Mass conservation equation C386
Mass fraction burnt
calculation of D61
determination of CET228
Mass fraction entrained, determination of CET229
Materials
future tribological TRIii590
tribological, for unusual environments TRIii585
tribological advancements TRIii583
Materials requirement planning (MRP) CC127
Maximum likelihood program (MLP) CET219
Measurement, laser applications B172
Mechanical engineering, 1986 and beyond B11
Mechano-tribology TRIi1
Metal–polymer systems TRIi339
low-wear TRIi341
Methane fuels A130
Methanol fuels DL59
Microprocessors, dual-fuel engine control system CET231
Mineral oils TRIi366
containing ZDDP TRIi565
Mining environments, steels for TRIii595
Mining industry
China TRIii787
South Africa TRIii793
tribology TRIii793
Minitab statistical package CET219
Modal balancing, rotors C349
Model reference adaptive control (MRAC) B175, B181
Model testing, hovercraft B82
Modular construction, shipbuilding B69
Molybdenum, wire drawing TRIi392
Molybdenum disulphide
formation of TRIi390
lubricants TRIi370
sputtered films TRIi503
Mono-Jetronic engine management system VE263
Moore elliptic flow program TUR63, TUR64
Motion systems equipment, design problems ID149
Motivation, case study B216
Motor industry. *See* Automobile industry
Motor vehicles, thermoplastics elastomers TE31
Motorcycles, castor instability D185
Motronic engine management system VE265
Mouldmaking, CADCAM CC21
Muffet Limited, S.H., CADCAM CC44
Mufflers, acoustics *(book review)* C457
Multiple solution model (MSM) CET298

National air quality standard (NAAQS) VE153
Natural gas fuels A128
Natural gas pumping stations FM105
Natural oils TRIi366
Navier–Stokes equations TUR63, TUR73
cavitated non-Newtonian flow C449
procedure for solving C449
Nchanga Mine A77
Netherlands, air pollution VE119
Ni–Cr–Si–B alloys, elevated temperature TRIii605
Nickel/PTFE composite coatings TRIi537
Nitric acid
effect on forests VE20
production plant FM123
train configuration FM231
Nitrogen generation, bulk offshore FM5
Nitrogen oxides
abatement VE9, VE123
atmospheric chemistry, transport and deposition VE9
boiler emissions SP103
control methods VE208
dispersion near motorway VE131
EC Directive VE31, VE166
ecological effects VE17, VE152
emission targets VE121
emissions C21
health effects VE61
power station emissions VE73
reduction in emissions VE53
sampling C25
simple trajectory model VE9
traffic related monitoring stations VE31
Noise levels
boilers FM227
diesel engines DL52
diesel locomotives DL71, DL77
fans IF4, SP135
idling knocking noise CET69
piston slap D235
Noise limits, diesel engines HA19
Noise measurements
airborne B104
pump radiated airborne B104
swirl-chamber-type diesel engines CET69
system radiated airborne B104
Noise reduction
diesel locomotives DL85
fans IF51
fluid-borne B99
gear pumps B99
Noise tests, gears TRIii841
Non-destructive testing, structural defects B229
Nuclear fuels
effluent treatment plant A1
reprocessing operations A1
transport flask impact force analysis A55
Nuclear reactors
AGR TRIi321
gas circulator repairs A215
inspection and repairs A207
LMFBR TRIii651
Magnox A207, A215
prototype fast reactor (PFR) A241
breeder and absorber sub-assembly performance A247
cladding performance A245
fuel disassembly A250
fuel dissolution and clarification A251
fuel performance A244
fuel reprocessing A249
fuel sub-assembly design A242
high burn-up fuel pin designs A248
irradiation effects A243
performance requirements A242
solvent extraction A252
UO_2/PuO_2 performance A244
void swelling A243
waste management strategy A253
wrapper and grid performance A245
Nuclear waste management, prototype fast reactor A253
Numerical analysis
heat flow in welding process B149
lubricating films TRIi47
Numerical control, shipbuilding B68
Numerical simulation
cylinder pressure CET211

© IMechE 1988

turbulent flow in exhaust-manifold junctions CET183
Nylon-66, rolling friction TRIi264

Octree representation, machining B157
Off-road vehicles, active suspension control D1
Offshore systems, fire fighting FM148
Offshore technology, centrifugal compression packages FM27
Oil drilling, sliding bearings TRIii883
Oil film formation
oxidized oils TRIi382
phosphorus-containing esters TRIi543
Oil film thickness
angular contact ball bearings TRIi81
effect of viscosity TRIi473
elastohydrodynamic TRIi85, TRIi91
estimation of TRIi381, TRIii807
in concentrated contacts TRIii807
in partial elastohydrodynamic lubrication of rough rollers TRIi111
in rolling bearings TRIi75
prediction TRIi184
Oil films
oscillatory squeeze motion TRIi27
steady force generated by TRIi28
Oil filtration, wear improvement by TRIii782
Oil industry, fire pumps for FM147
Oil-in-water emulsions TRIi85, TRIi461
Oil lubricants, fully flooded and starved conditions TRIi91
Oil production, strategies for success B146
Oilfield applications, water injection FM137
Oils, hydrocarbon base TRIi366
Oldbury nuclear power station A207, A215
O'Neill v *Brown* B200
Optical character reading (OCR) B85
Optical interferometry
elliptical contacts TRIi91
thick films TRIi545
Oscillogyro. *See* under Gyroscopes
Oxidation
and impact wear in carbon dioxide TRIi329
iron TRIi297
low-alloy steels TRIi297
lubricants TRIi379
Oxide films
formation and breakdown of TRIi297
mechanisms of growth of TRIi285
Oxide formation in fretting wear TRIi270
Oxide role in tribological surfaces TRIi283, TRIi293
Ozone
concentrations VE72
effect on forests VE21
pollution problem VE152

PACE 2 program A114, A115, A116
PACE 3 program A114
Packaging, radioactive waste. *See* Radioactive waste
Parcel handling
conveyors B91
level transfers B91
Part numbers, functional coding CC16
Particle erosion, chromium steels TRIii595
Particulate emissions
abatement measures VE124
carcinogenicity VE153
control standards VE157
control systems VE319
definition and characteristics of VE319
diesel engines VE83, VE153
health effects VE62, VE153
monitoring C22, VE336
mutagenicity VE153
solvent-soluble organic fraction VE109
traps and regeneration systems VE320
Passive adsorber sampling C25
Pathrace Limited, PATHTURN system CC43
Pattern-making, CADCAM CC21
PAULA program A113
PEBAXSRs polyether-block-amides TE21
Petrol
lead free VE44, VE45, VE360
lead in VE153, VE167, VE360
Petter AVB diesel engine TRIi474
Pfizer Chemical Corporation, combined heat and power (CHP) plant IC31
Phase conjugate mirror (PCM) B172
Phase transformation hardening, laser B170
Phenolic resins, frictional properties TRIi247
Phosphor bronze, annealed and work-hardened asperities TRIii1003
Phosphorescent ink B86
Phosphorescent machine readable codes B85
Phosphorus additives TRIi360, TRIi361, TRIi543
Photochemical air pollution VE119, VE152
Photochemical trajectory model VE71
Photoelastic analysis, three-dimensional stress analysis CET41
Pin-on-disc testing, powder metallurgy materials TRIii679
PINA program A114
Pipe bend elements A109, A111
Pipe joints
high-integrity A72
maintainability A69
remakeable A71
Pipe models
generalized A112
generalized straight and curved A109

Pipelines
abrasive wear TRIii794
corrosion SP274
life assessment SP227, SP289
weldments SP227
Pipework
economizer SP112
life determining features SP28
refurbishment SP12
weldments HT53
see also Reheat lines
Piping
benchmark studies A114
creep fatigue A121
design requirements A106
elastic analysis A107
elasto-plastic benchmark program A115
inelastic analysis A105
inelastic programs A112
perforated C443
ratchetting A121
screening rules for design A119
swirl flow C279
PIRAX 2 program A113, A114, A115, A116, A117, A118
PISAC-ACSAC program A114, A118
Piston rings
lubrication TRIi135
materials TRIii588
wear TRIi473
Piston slap noise, quantification and reduction of D235
Pistons
computer design of diesel engine CET25
cooling gallery optimization CET29
gas pressure loading CET28
thermal loading CET28
Pitting, cam/follower TRIi523
Planning, computer aided CC127
Plant uptake, monitoring C23
PLASH program D124
Plastic deformation
rolling/sliding contact TRIii919
single asperities TRIii1003
Plastic envelopes
automatically distinguishing between paper and B138
current and future developments B141
film development B139
friction problems B141
printing problems B140
rigidity problems B140
Plastic modellers CC17
Plastics
bearing materials SB25
bearings SB29
film envelopes for postal service. *See* Plastic envelopes
gears TRIii841
Plate-bending problems, boundary element method BEM3
Platen tubes, creep rupture SP324
Plates
elastically supported thin, boundary element method BEM35
static analysis of BEM41

two-dimensional analysis under static loading BEM41
Polychlorinated biphenyls, monitoring of emissions C22
Polycyclic aromatic hydrocarbons (PAH)
carcinogenicity VE357
sampling techniques VE97
Polyether-block-amides
applications TE22
chemical structure TE22
compounding TE23
dynamic properties TE21
mechanical properties TE21
powder coatings TE23
processing TE22
Polymerization, condensation TRIi379
Polymers
anti-friction coatings TRIii747
fretting palliative TRIi315
friction TRIi162, TRIi193
in lubricants TRIi497
journal bearings TRIii725
tribomaterials TRIii585
see also Metal–polymer systems
Polynuclear aromatic hydrocarbons (PAH)
analysis of VE283
and mutagenicity VE89
Polytetrafluoroethylene (PTFE) TRIii1003
composites based on TRIi219
fretting palliative TRIi315
lubricants TRIi371
Polyurethane, thermoplastic TE11
applications TE13
basic chemistry TE11
blow moulding TE13
coatings TE13
Elastollan 1175AW-10 TE12
Elastollan C TE12
Elastollan CVP60AW TE12
Elastollan CVP70AW TE12
Elastollan-1100 TE12
extrusion TE13
future markets TE14
injection moulding TE13
manufacture of TE11
material types TE12
polymer preparation TE11
processing techniques TE13
raw materials TE12
relative properties TE12
Porosity, ceramic insulating layers TRIii863
Port Talbot Works, hot strip mill A223
Postal engineering
automatic letter sorting B85
parcel transfer B91
plastic film envelopes. *See* Plastic envelopes
Powder coatings, polyether-block-amides TE23
Powder metallurgy, tribological properties TRIii679
Powders, fire extinguishants D223
Power loss in connecting-rod big-end bearings TRIii701
Power recovery. *See* Energy saving
Precipitator hopper dust removal SP127
Pressed contacts, thermal resistance C45
Pressure loss energy recovery FM220
Pressure probes, five-hole IF13
Pressure-sensing elements, stress measurements B240
Pressure sensors, combustion D55
Pressure–time diagrams, mass fraction burnt from D61
Pressure-transmitting pins, stress-measuring B239
Pressure vessel steels
C–Mn HT38.
composition improvement SP309
fatigue B5
Printing
code mark problem B140
high-speed phosphor B85
hot blocking B140
ink jet B85, B141
Process industries
CAD system integration CC7
energy efficiency A47
Process integration A155
applications team/research team dialogue A157
future A161
practical experiences A158
results of applying A161
Process plant
computer aided engineering CC121
energy saving FM219
remanent life assessment HT51
rotating machinery FM231
train configuration selection process FM231
Product data exchange CC135
Product design
CAD CC49
designer's profile B205
Product development
in 1987 B191, B194
business match in B192
delay for 'rethink' B194
diagrammatic form B192
effect of common errors in B193
limitations imposed on B191
market approach to B192
shipbuilding B60
Product selection, flexible assembly B35
Production control, thermoplastic seals B111
Profilometry, wear measurement C252
Programmable controllers
implementation method C247
for sequential systems with random inputs C245
Propane fuels A130
Prostheses, artificial hip joints TRIii715
PROTAB program A155
Prototype fast reactor (PFR). *See* Nuclear reactors
Proximity sensors B52
PTFE. *See* Polytetrafluoroethylene (PTFE); Nickel/PTFE
Pulsation analysis, reciprocating compressor systems FM87
Pulverized fuel ash, corrosion aspects SP141
Pumping stations, natural gas FM105
Pumps
axial A171
boiler feedwater SP13, A173
balance devices SP195
balance drum SP184
cartridge replacement SP184
cartridges SP195
changes during life of SP193
design requirements SP185
impellers SP183
installation and commissioning SP186
refurbishment, economics of SP185
refurbishment and life extension SP181
retrofitting SP193
rotor dynamics SP195
centrifugal
diffuser behaviour under axial compression FM169
double-suction high-power FM193
flow in impeller TUR81
high-speed performance optimization FM185
hydraulic forces on impellers A163
impeller design FM193
rotor system tribology FM157
two-stage FM185
vibration specifications FM157
viscosity effects FM207
diffuser A169
fire
basic configurations FM149
costs FM153
dedicated diesel generating units FM150
efficiency FM152
for oil and gas industry FM147
general descriptions FM149
hydraulic motor-driven suspended units FM151
materials of construction FM151
positional flexibility FM153
reliability FM153
shaft-driven suspended units FM149
specifications FM148
weight comparisons FM153
fixed-speed valve-control of FM131
fluid-borne noise B105
gear
pressure ripple reduction B99
trapping of fluid in A39
high-pressure multi-stage injection FM137
multi-stage A172
pipeline FM193
reactor coolant shaft seals TRIii733
spray-water supply booster SP114
variable-displacement axial-piston C235

vertical reactor coolant circulation FM19
volute A167
water, bearing materials SB28

Quadtree representation, machining B159
Quality, methods of improving TE31
Quality assurance
boiler refurbishment SP326
hot strip mill A228
welding SP326
Quality control, *See* Conformity of production (COP)

Radial inflow turboexpanders FM219
Radio control, locomotives DL157
Radioactive waste
Canada RW41, RW42, RW43
classification RW39
current programme in UK RW3
disposal sites and repositories RW5, RW33, RW34
effluent treatment plant A1
Federal Republic of Germany RW41, RW42, RW43
France RW41, RW42, RW43
high-level waste RW1, RW39
information programmes RW4
intermediate-level waste RW1, RW7, RW15, RW19, RW41, RW42
Japan RW41, RW42, RW43
local benefits RW8
long-lived RW33, RW41
low-level waste RW1, RW6, RW12, RW19, RW39, RW43
management RW1, RW39
packaging RW4, RW19
public relations problems RW45
repository design RW4
short-lived RW42
site investigation and assessment RW11, RW13
site selection RW12
site services RW7
sub-seabed repository RW35
Sweden RW40, RW41, RW42, RW43
transport RW4, RW12, RW19
United States RW41, RW42, RW43
Railways
axles D268
British DL31
Canadian National DL1
cast steel wheels D267
change from steam to diesel traction D249
compressible and leaky trains in tunnels D209
Danish State D79
diesel era D250
diesel multiple units D115
disc brake pad wear TRIii887
early system management D246
electrification D254
fire protection on trains D217
German Federal DL17
High Speed Train A55, DL117
London Underground prototype
auxiliary power D29
bodywork D23
bogies D25
communications D31
databus D29
design studies D21
passenger information D31
project organization D31
purchasing programmes D21
resignalling D21
rolling stock D21
doors D30
heating and ventilation D30
materials D26
specification D23
traction and braking D28
visual and ergonomic design D27
train concept D22
tube trains D21
lubricants C76
maintenance cost control D252
materials management D253
nuclear fuel transport flask impact force analysis A55
passenger vehicles
accidents D203
collision energy D202
design against accidents D205
design loads D201
structural crashworthiness D201
performance testing D248
push-pull operations D79
railbuses (LWDMU) D115
recovery operations D247
review of development and change D245
rolling stock
brake shoes D11
braking tests D16
stresses in wheels D265
vehicle structural crashworthiness D123
wheel spalling and shelling D262
wheel steels D261
wheel wear D265
wheelsets
assembly D267
early specifications D258
review D257
thermal cracks D259
see also Locomotives
Ratchetting, piping A121
Reaction films
from ZDDP TRIi566
mechanical properties TRIi565
Reciprocating engines, computer design CET55
Reference stress, determination of HT11
Regression analysis, condition monitoring TRIii897
Reheat lines
14MoV63 SP249
failures in SP249
repair by welding SP249
residual lifetime SP249
Reheater antler tubes SP325
replacement of SP325
Reheater element tubes SP324
Reid v *James Spencer and Company and Burns Laird Lines* B200
Reliability
methods of improving TE31
turbine governing system A29
Relief valves. *See* Valves
Remanent life assessment, process plant HT51
Remotely piloted vehicles (RPV) D177
gyroscopes ID1
Research and development management B146
Residual stresses in welded components HT41, HT43
Resins, high-temperature high-friction coefficient TRIi247
Reynolds, Osborne
biographical sketch C79
Centenary (1886–1986) C75
Reynolds equation, generalized form of C1
Reynolds number in turbulent swirl flow C279
Rheological measurements, metal soaps TRIi411
Robots
ARMA model C404
dynamic equations B225
locomotives DL160
manipulators B25, B221
multi-degrees-of-freedom B221
sensors B51
shipbuilding B68
Rock drilling, lubricants TRIi461
Rod mills
cost reduction B121
energy consumption B119
future B121
improvements in B117
marketing B121
productivity, availability and yield loss B118
Roll-axis, kinematic D69
Roll-centre
force D72, D73, D74, D75
height implications D77
kinematic D69, D70, D74
vehicle handling dynamics D69
Roll coolant and descaling systems A235
Rollers, elastohydrodynamic lubrication analysis C29
Rolling, steel cylinders, temperature measurement C263
Rolling mills, *see also* Hot strip mills; Rod mills
Rolls-Royce plc, CADCAM CC103, CET307
Rotary angle encoders C133
Rotating discs
equations of motion C37
forced vibration C42
free motion C38
plane stress vibrations in C37
Rotating machinery
condition monitoring FM15

process plant FM231
vibration FM15
Rotating spheres, laminar flow about C427
Rotor glands, improved design of SP2
Rotor steels
12% Cr TUR319
3½ NiCrMoV TUR319
Rotors
blade root fixings SP47
body and shaft ends SP39
boiler feedwater pump SP195
centrifugal compressor TUR53
centrifugal pump, tribology FM157
creep life SP48
defect assessment in HT37
deterioration mechanisms SP38
end-rings SP39
revalidation SP40
flow in last-stage blades TUR159
forging revalidation SP40
generator, life extension SP37
high-temperature SP30
life assessment SP53
life management SP275
life prediction SP48, SP227
modal balancing C349
modifications to extend life SP55
remanant life SP207
determination SP45
stress analysis SP48
thermal fatigue SP47, SP49
tilting-pad bearings TRIii739
transonic civil fan performance TUR103
Rough surfaces. *See* Surface roughness
Roughing mills A230
Rubbers
adherence TRIi227
friction TRIi227
wear TRIi227
Rule-based systems CC57, CET298
Rupture life, calculation of HT9

Samples, electrochemical machining B229
Sampling methods, incinerator emission monitoring C24
SAP VI program A113
Sapphire, friction measurements TRIii687
SAVFEM program A113, A114
Science, evolution of FM1
Scraper conveyer middle trough, wear mechanism TRIii903
Scrubber emissions, monitoring C22
Scuffing
cam/follower TRIi523
failure tests TRIi399
gears TRIi362
temperature, gears TRIi1
tests TRIi64
Seal chamber flow observations A26
Seals and sealing
ball bearings TRIii871
boiler feed pump shaft SP195
boiler feedwater pumps SP183
carbon failures A22
cartridge arrangement FM54
cartridge testing FM55
circumferential grooving effects A20
control, theoretical analysis of A17
dry FM35
dry gas FM29, FM53
gas-lubricated face FM29
hydraulic TE27
leakage failures A23
mechanical
factors affecting performance A17
friction and wear TRIii709
monitoring system FM55
O-rings A21, TRIii733
rotary grease and dust TE27
secondary effects in hydrostatic non-contact TRIii733
shaft end gas dry FM35
steam turbines SP4
swell effects A25
thermal excursions A25
thermoplastic TE25, B107
waviness A19, A24
wear rates A24
Self-organizing fuzzy logic controllers C97
Self-tuning control theory C285
Self-tuning controllers (STC) B175
Sellafield. *See* British Nuclear Fuels plc (BNFL)
Semiconductor sensors B56
Sensitivity analysis. *See* Pumps, variable-displacement axial-piston
Sensors
combustion pressure D55
gas-lubricated bearings ID45
robotics B51
Sequential systems, random-input, programmable controllers for C245
Servo-accelerometers, component manufacture ID125
Servo-mechanisms, electrohydraulic B175, B181
Servo-valves, electrohydraulic
flow force effects C193
non-linearities C137
spool hydraulic stiffness C193
Shaft system dynamics, transmission line modelling C271
Shafts, supercritical rotating C201
Shakedown concept TRIii921
Shaker tests CET70
Sheet forming, lubrication TRIi393
Shell structures, elastic buckling C259
Shells, hemispherical
collapse pressures C153
externally pressurized C153
plastic buckling C153
Shipbuilding
British industry B60
build strategies B62
CADCAM B64, B69
core systems B63
cutting B67
engine construction B70
engine installation B70
European industry B60
future developments B71
high technology in B59
modular construction B69
numerical control B68
performance improvement B61
prices and costs B59
product development B60
production technology B67
robotics B68
welding B67
world market and capacity B59
Shock pulse method, rolling element bearings SB71
Shot peening, as fretting palliative TRIi316
Sidecars, Swallow super sports D155
Signal processing
analogue D58
cylinder pressure CET211
Silencers
acoustics *(book review)*) C457
diesel locomotives DL77
Silicon
accelerometer microengineering ID191
properties of ID191
single-crystal ID192
Silicon carbide, friction TRIii687
Silicon nitride
friction TRIi173
hydrolysis of TRIi557
wear TRIi173
Silver–manganese alloys, wear particles TRIii884
SIMPLE (semi-implicit method for pressure-linked equations) C451
Simulation models B30
SINAP program A115, A116
SINAP-II program A114
Site ion exchange effluent plant (SIXEP) A1
Sky-hook concept of model D136
Slab handling and processing A229
Slab reheating furnaces A229
Sliding, electromotive force TRIi531
Sliding contacts
slip line field solutions TRIii987
surface layers TRIi419
Sliding Hertzian fracture TRIii995
Slip detection devices B53
Slip line field solutions TRIii987
Smell, environmental nuisance C22
Smoke emissions, diesel engines VE83
Sodium, wear-resistant hardfacings TRIii651
Sodium stearate
phase transitions TRIi413
rheology of TRIi413
Soil acidification VE21
Soil contamination, monitoring C23
Soil mechanics, critical state *(book review)* C308
Soil sampling C24
Solar irradiation
anisotropic model for C11
inclined surface C11
South Africa, mining industry TRIii793
Space research, bearing materials SB44

Spacecraft, attitude control C97
Spark advance control VE271
Spark arresters HA8
  exhaust HA53
Spark emission, prevention of HA53
Specified sequence model (SSM) CET299
Spectral analysis, surface topography C304
Speed control system for surge control CET241
Sperm oil TRIi367
Spherical inclusions, separation of TRIii977
Spool hydraulic stiffness C193
Spray behaviour modelling in curvilinear piston bowl engines CET199
Sputter deposition, molybdenum disulphide films TRIi503
Stainless steel
  crack growth HT59
  creep crack growth HT1
  type 304H HT1
  waste storage A9
  welds HT39
Stanhope–Seta four-ball machine TRIi399
Statistical analysis, composition improvement factor SP309
Stator windings A96
Steam chests
  design reassessment SP28
  refurbishment SP11
  repairs SP217
Steam headers
  creep life SP224, SP237
  life assessment SP223, SP289
Steam plant, geothermal power resource SP271
Steam turbines
  back-pressure IC1, FM232
  blading repairs SP215
  combined cycle TUR320
  condensing FM232
  cylinder refurbishment SP4, SP17
  design reassessment of component life SP27
  development of improved blading SP79
  diaphragm ceiling tip separation loss SP82
  diaphragm life management SP276
  efficiency SP71, TUR315, TUR317
  exhaust diffuser performance SP83
  extraction/back-pressure IC2
  fluid dynamic development of low-pressure blading SP92
  full/partial arc admission TUR317
  geothermal power resource SP275
  governing system A29
  high-pressure
    efficiency improvement SP74
    inlet pipe piston ring fretting SP19
    materials TUR318
    performance improvement TUR287
    refurbishment SP10
    rotor dummy balance piston reclamation SP20
  high-temperature
    bolting SP32
    diaphragms SP31
    materials TUR318
    moving blading SP29
    rotors SP30
  improved short height blading SP83
  inner casing inlet regions SP28
  interchangeability of spares SP75
  intermediate-pressure
    performance improvement TUR287
    refurbishment SP10
  internal efficiency TUR315
  intervals between inspections SP32
  inviscid flow calculations TUR305
  life extension of components SP17
  life monitor development SP65
  loss mechanisms in TUR125
  low-pressure TUR293, TUR305
    blading SP91
    efficiency improvement SP73
    moving blading SP93
    refurbishment SP11
    rotor shafts, corrosion pitting SP315
  low volumetric flowrate analysis TUR297
  mass flow determination TUR295
  metallurgical aspects of component life extension SP205
  multi-stage axial TUR295
  nozzle design TUR288
  number of reheats TUR317
  off-design conditions TUR293
  on-line evaluation of life expenditure SP61
  performance improvements SP79
  power generation TUR313
  reduction of losses TUR289
  refurbishment
    casing design improvement SP3
    components of improved design SP2
    components of repeat design SP1
    improved operational flexibility SP2
    low-pressure turbine blades SP205
    low-pressure turbine rotor shafts SP315
    options SP1
    thermal efficiency improvement SP3
    welding role in SP215
  reheat development SP92
  retrofitting of low-pressure blading SP94
  rotor cooling TUR317
  rotor remanent life determination SP45
  rotor repairs SP216
  supercritical TUR313
    applications TUR319
    heat addition TUR125
  thermal fatigue cracks in HT38
  thermodynamic efficiency TUR315
  thermodynamical parameters TUR298
  through-flow analysis TUR293
  variable reaction blading SP91
  water ingress protection SP154
  wet steam flow in TUR135
  see also Rotors
Steel rod, manufacture of B117
Steels
  abrasive-corrosive mining environment TRIii595
  friction measurements TRIii687
  inclusion content control SB69
  inclusions, assessment SB66
  low-alloy, oxidation TRIi297
  quality monitoring and assessment SB65
Stirling cycle
  availability theory C386
  'building bloc' approach to cycle simulation C395
  classification of models C384
  de-coupling C386
  dimensional analysis C384
  equivalent one-dimensional machine C382
  finite cell versus finite difference C382
  linear harmonic analysis C386
  offset linearization C386
  optimization C396
  perturbation C385, C386
  published analyses C388
  thermodynamic analysis C381
    experimental corroboration C387
  thermodynamic design C107
Strain gauges, stress measurement by CET39
Strain-hardening, steel torispheres C376
Strain rate tests, creep deformation SP301
Strait of Gibraltar, bridge building B73
Stress analysis
  boundary element method BEM15
  domain-type loading BEM15
  elastic contact TRIii919
  finite element method CET40
  linear two- and three-dimensional BEM3
  non-linear BEM3
  photoelastic method CET41
  rotors SP48
  see also under specific methods
Stress intensity factor
  calculation of BEM93
  determination of HT11
  fretting fatigue TRIii966
Stress measurements
  by strain gauges CET39
  forging die mandrel B239
  oblique pins B239
Stresses in railway wheels D265
Structural analysis, E3D program CET165
Structural defects, non-destructive testing B229
Subcontractors, business opportunities

Sulphide films, formation of TRIi391
Sulphur additives TRIi359
Sulphur dioxide
  effects on forests VE20
  emissions C21
Sulphuric acid, effect on forests VE20
Supercharging, gasifiers A134
Superheater headers, creep life SP281
Superheaters
  convective primary replacement SP111
  radiant platen SP110
Supplier chain management B251
Surface characteristics, direct method for evaluating C325
Surface chemistry, Mn–Zn ferrite TRIii673
Surface engineering
  dry and lubricated contact of rough surfaces TRIi71
  lubrication of rough rollers TRIi111
  oxidational wear TRIi283, TRIi293
  see also Coatings
Surface layers
  friction coefficient predictive model TRIii657
  sliding contacts TRIi419
Surface overlays, submerged-arc welding TRIii643
Surface roughness
  composite materials TRIi219
  contact analysis TRIii945
  contact mechanics TRIii925
  contacting surfaces C421
  effect on elastohydrodynamically lubricated contacts C145
  effect in lubrication C1, C90, TRIi135
  and friction coefficient correlation C321
Surface roughness parameters. *See* under Surface topography
Surface temperature, four-ball operation TRIi399
Surface topography
  amplitude parameters C298
  autocorrelation analysis C303
  characterization C297
  effect of sampling conditions C298
  engineering components C297
  hybrid parameters C301
  influence of measurement bandwidth C297
  relationships between roughness parameters C302
  spatial parameters C300
  spectral analysis C304
  statistical descriptors C298
  time series modelling C304
  variation of roughness parameters C303
Surface traction C145
Surface treatment
  cutting tools TRIii665
  laser applications B170
  new technologies TRIii586
Surge phenomena
  control system CET241
  in diesel trucks and buses CET241
Suspensions
  active, performance evaluation D135
  active systems, review of D1
  AP, farm transport vehicles D5
  front D157
  mathematical modelling D5
  optimization D146
  passive D1, D146
  rear D160
  self-levelling systems D2
  semi-active dissipative D3, D149
  semi-active systems D2
Swallow super sports sidecars D155
Swirl flow, piping C279
Synovial joint, lubrication C92
Synthetic oils TRIi367
Systems engineering, engineering design CC57

Tactile sensors B53
Tanks, stainless steel waste storage A9
Teaching Company Scheme CC37, CC41, CC45
Team spirit, creating B216
Technology
  and economic growth B12
  and market forces B12
  as part of system B145
  evolution of FM1
  harnessing for growth B145
TEDEL program A113, A115
Temperature distribution, gas tungsten arc welding B149
Temperature measurement
  lubricant test rig TRIi496
  rolling steel cylinders C263
2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD) C21, C25
Thermal analysis, gas turbines CET151
Thermal conductivity, ceramic insulating layers TRIii863
Thermal fatigue. *See* Fatigue
Thermal-network theory TRIi1, TRIi2
Thermal resistance
  pressed contacts C45
  thermally distorted pressed contacts C421
Thermal stability, ceramic insulating layers TRIii863
Thermal tactile sensors B57
Thermochemical treatment, as fretting palliative TRIi314
Thermodynamics, Stirling cycle C107, C381
Thermoelasticity
  contact stability TRIii981
  effects in partial elastohydrodynamic contacts TRIi105
Thermohydrodynamics, profile bore bearings TRIi145
Thermomechano-tribology TRIi1
Thermoplastics. *See* Elastomers, thermoplastic; Plastics; Seals and sealing
Thermotribology, survey of theories and experiments TRIi1
Thick films
  methods of studying TRIi544
  optical interferometry TRIi545
Throttle actuation control VE271
Time series modelling, surface topography C304
Titanium, condenser tubes SP177
Titanium-based ceramics TRIii615
Titanium nitride
  fretting wear TRIi303
  physical vapour deposition TRIii629
Tool materials TRIii588
Tool steels, cold working TRIii604
Torispheres
  aluminium C376
  buckling of shallow dished ends under external pressure C373
  steel C373
    strain-hardening C376
Torque converter systems HA63
Torsional systems, transmission line modelling C273
Torsional wave theory C272
Total suspended particulate VE153
Touch sensing configurations B52
Toughness, wear resistance indicator TRIi197
Toxic waste emissions, monitoring C22
Training. *See* Education and training
Trains. *See* Railways
Transducers
  double-layer C263
  two-axis angular rate ID89
  vibration monitoring FM16
Transfer matrix method, crankshaft vibration CET79
Transient engine conditions
  and driver behaviour CET259
  and driver characteristics CET258
  on-line vehicle simulation CET257
Transmission line modelling
  mechanical problems C273
  shaft system dynamics C271
Transmissions, hydraulic/mechanical HA63
Transport, radioactive waste. *See* Radioactive waste
Triaryl phosphates, additives TRIi360
Tribaloy 700 plasma transferred arc coatings TRIii651
Tribology
  advanced technology TRIii788
  Anglo-American Corporation TRIii793
  Budapest Transport Company TRIii781
  chemistry TRIi355, TRIi379
  condition monitoring TRIi16
  design application TRIii697
  development history TRIi9, TRIii697
  future pattern TRIi14
  information technology TRIii698
  interface engineering TRIi16
  linear propulsion TRIi15
  manufacturing industry TRIi15
  materials advancements TRIii583
  metal–polymer systems TRIi339
  mining industry TRIii787, TRIii793

new developments TRIii699
pump rotor systems FM157
research TRIii697, TRIii698
see also Friction; Lubrication; Mechano-tribology; Thermomechano-tribology; Thermotribology; Wear
Tribomaterials. *See* Materials, tribological
Tribotesting, thermal aspects of TRIi253
TRICO program A115
Trinickel boride, surface hardness TRIi179
TRW Cam Gears, computer aided design CC113
Tube drawing, lubricants TRIi391
Tube trains. *See* Railways
Tungsten carbide–cobalt alloys
abrasive wear TRIi277
fracture toughness TRIi277
hardness TRIi277
Tunnels, compressible and leaky trains in D209
Turbine blades
comparison between numerical solutions and measurements TUR73
control stage improvements TUR288
design techniques FM117
inviscid flow analysis TUR231
loss generation in boundary layers TUR3
loss prediction in TUR63, TUR145
optimized blade path TUR289
reaction blade section improvements TUR290
relaxation losses in wet steam TUR113
rotating blade improvements TUR288
shrouded TUR7
tip leakage flows TUR7
trailing edge base pressure measurements TUR167
trailing edge flow TUR325
trailing edge loss TUR5
transonic profile TUR157, TUR324
Turbine discs, AIMS flexible manufacturing system B129
Turbine nozzle cascades, flow predictions in TUR211
Turbines
axial-flow A279
pass-out, use with high-speed motor FM123
Turbochargers
aerodynamic design DL126
bearings SB28
component life prediction DL127
design technology DL125
impeller life prediction DL128
rail traction diesel engines DL125
testing DL53
turbine inlet casing life prediction DL129
variable geometry CET272
Turboexpanders
power recovery applications FM219
radial inflow FM219
Turbogenerators
construction A91
cooling systems A91
electrical considerations A94
materials used A94
mechanical design A91, A94
rotational speed A94
rotor
body detail A102
dynamic considerations A98
end ring A100
winding A99
stator
conductor bar A97
core construction A95
core/frame elasticity A95
core pressure A95
ovalizing vibration A96
windings A96
Turbojet engines, blading design techniques FM117
Turbomachinery
axial-flow TUR15, TUR43, TUR53
effect of inlet skew on secondary flows and losses in turbine
cascade TUR15
end-wall losses TUR9
loss predictions in TUR1
secondary losses and end-wall profiling in turbine cascade TUR29
three-dimensional viscous compressible flow solver TUR53
tip clearance flow structure on end-wall and within clearance gap of axial cascade TUR43
Turbulent flow. *See* Flow
Turning radius, front-steered four-wheeled vehicle D289
Tyres
Denloc bead-located D164
Dunlop 220/65 VR 390 TD D164
limit state handling D283
Stabilia D162

Unilever Group, combined heat and power (CHP) plant IC1
UNISAT Satellite Programme B124
Upsetting
friction factor TRIi511
piece geometry TRIi511

Valve gear, vibration CET57
Valve timing, for best air flow characteristics CET111
Valve trains, motion simulation CET58, CET61
Valves
air inlet shut-off HA52
brake pressure apportioning D193
deceleration-conscious D193
direct-acting D198
gas flow modelling CET131
hydrocarbon sampling VE221
inlet air shut-down HA12
inlet cut-off HA8
load-conscious D194
non-return, in speed transient simulation FM108
poppet CET131
pressure-conscious reducing D193
recycle action FM108
relief
continuity equation A137
equation of motion A138
flapper-nozzle A135
mathematical modelling A136
orifice equation A137
revised load-conscious D197
Vapour deposition
coating properties and applications TRIii629
coating/substrate adhesion TRIii632
ionization-assisted TRIii 637
V-belt drives
effects of small pulley radii D41
power transmission losses in D41
Vegetable oil fuels DL60
Vehicle body structures, aluminium alloys D129
Vehicle handling
dynamics D69
limit steady state D281
see also Roll-centre
Ventilation systems, acoustics *(book review)* C457
Vestec Limited, CAE project CC41
Vibration
bending stresses CET81
centrifugal pumps FM157
condition monitoring FM15
crankshaft stress estimation CET79
crankshafts CET56
engine rigid body CET59
engine structural CET69
excitation types CET60
imperfect cantilever bars under self-weight loading C345
in-plane response of rotating disc C37
psuedo-random excitation TRIi321
rotating machinery FM15
squeeze-film isolator C181
subsynchronous FM56
supercritical shaft C201
three-dimensional modelling CET56
three-dimensional study CET57
torsional CET55, CET80
valve gear CET57
Viscosity
calculation systems TRIi485
dependencies on temperature, pressure and loading speed TRIi483
dynamic loading models TRIi483
effect on oil film thickness TRIi473
effect on piston-ring wear TRIi473
effective TRIi486
effects in centrifugal pumps FM207
high-pressure TRIi437, TRIi438
index improvers TRIi368
influence of compression heat TRIi437
low-pressure range TRIi437
pressure coefficient TRIi486
pressure data TRIi483

Vision systems B52
Volatile metals, monitoring of emissions C21
Volvo TD 100G diesel engine TRIi474
Vortex throttles
  experimental study C331
  viscid flow analysis C337
Vorticity
  excess streamwise C413
  role in secondary flow C413

Waste disposal. *See* Cellulosic wastes; Incinerators; Nuclear waste, Radioactive waste
Waste gases in chemical plants FM221
Waste heat recovery
  design considerations IC85
  economics IC87
  engine selection IC83
  gas turbines IC19
  Lerwick 'B' power station IC83
  operational experience IC86
  options for IC84
  steam plant IC85
Waste hydraulic pressure of flashing liquid FM221
Water/DF-2 emulsion fuels DL60
Water injection, oilfield applications FM137
Water tray tests FM226
Water treatment plant A236
Wear
  abrasive TRIi199, TRIii603, TRIii794
    groove formation and interaction during TRIi239
    lubricated contacts TRIi183
    of copper TRIi239
    of WC–Co alloys TRIi277
  adhesive TRIi163, TRIi164
  Archard constant TRIi163
  bearing materials SB42
  ceramics TRIi165, TRIi555
  condition monitoring TRIii897
  contacting pairs for mechanical seals TRIii709
  corrosion-mechanical concept TRIi339
  damage measurement C251
  development history TRIi157
  diagnostics methods TRIii781
  diamond TRIi205
  dry bearings TRIi211
  effect of circumferential grooves TRIi187
  fans TRIii753
  forms of TRIi200
  fretting TRIi267
    avoidance of TRIi311
    effect of gas pressure TRIi321
    effect of pseudo-random excitation TRIi321
    of hard coatings TRIi303
    oxide and metal volumes in TRIi269
  high-energy TRIi331
  high-temperature TRIi332
  impact, and oxidation in carbon dioxide TRIi329
  in mining industry TRIii787
  in sodium environment TRIii651
  ion implanted cutting tools TRIii665
  low-energy TRIi330
  low-temperature TRIi332
  mechanisms TRIi164
  metals TRIi164
  Mn–Zn ferrite TRIii671
  nascent TRIi233
  oil driller sliding bearings TRIii883
  oxide formation TRIi283, TRIi293, TRIi298
  piston rings TRIi473
  ploughing by single asperity TRIi240
  polyacetal-based composites TRIi219
  polymer–polymer bearings TRIii725
  polytetrafluorethylene (PTFE) based composites TRIi219
  railway disc brake pads TRIii887
  railway wheels D265
  research TRIi164, TRIi165
  rubbers TRIi227
  seals A24
  silicon carbide against steel and sapphire TRIii687
  silicon nitride TRIi173
  sliding TRIi193, TRIi267
  steel–polymer bearings TRIii725
  steels in air TRIi267
  thermal aspects of TRIi253
  types governed by toughness TRIi200
  unlubricated TRIi267
  variable amplitude oscillating motion TRIi211
  zirconia TRIii609
  see also Tribology
Wear coefficient in sliding metallic friction TRIii957
Wear debris
  analysis of mining equipment TRIii796
  spherical TRIii797
Wear index, monitoring TRIii877
Wear measurement TRIii781
  assessment systems C255
  ferrography TRIii877
  fretting C251
  profilometry C252
  weighing and surface mapping methods C251
Wear mechanisms TRIi185, TRIii585
  contact length TRIi186
  fretting TRIi311
  hybrid TRIi186
  interference cross-section TRIi186
  scraper conveyer middle trough TRIii903
  shear traction in fretting TRIi311
Wear particles
  Ag–Mn alloy TRIii884
  Co–Cr–W alloy TRIii884
  corrosive TRIii884
  fatigue TRIii884
  rubbing TRIii883
  sliding TRIii884
Wear protection
  fans TRIii754
  oxide role in TRIi283, TRIi293
Wear resistance
  in surface-active lubricating media TRIi419
  indicators of TRIi197
Wear tests TRIi163
  abrasive TRIi185
  methods of TRIii781
  titanium-based ceramics TRIii615
Weld heat-affected zones, creep cavitation damage SP289
Weld surfacing, submerged-arc TRIii643
Welded components, residual stresses in HT41, HT43
Welded joints
  Cr–Mo–V steels SP253
  creep tests SP250
Welding
  gas tungsten arc (GTA) process B149
  laser B68, B168
  narrow-gap SP218
  quality assurance SP326
  reheat lines SP249
  shipbuilding B67
  steam-turbine repair or refurbishment SP215
  submerged-arc deposits TRIii643
Weldments
  cracking in HT38
  pipelines SP227
  pipework HT53
  reactor vessel nozzles HT53
Welds, stainless steel HT39
Wheels. *See* Railways, wheelsets
White metals SB21, TRIii773
Wildhaber–Novikov gear tooth TRIii819, TRIii839
Wind tunnels, climatic simulation D273
Wire drawing
  elevated temperature TRIi392
  lubricants TRIi391
  molybdenum TRIi392
Wood, friction TRIi162
Workforce aspects of management B215

Yaw angle, ball bearings TRIii852

Zambia Consolidated Copper Mines Limited (ZCCM) A77
Zinc dialkyldithiophosphates (ZDDP) TRIi531, TRIi558, TRIi565
  additives TRIi361
  reaction films from TRIi566
Zirconia
  friction TRIii609
  partially stabilized TRIii609
  wear TRIii609